ORIGINAL

BOOK 5481

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD NOTES

	DEPENDENT RESURVEY OF
	A PORTION OF THE SUBDIVISIONAL LINES
	AND
	THE METES-AND-BOUNDS SURVEY OF THE
NOR	TH MARICOPA MOUNTAINS WILDERNESS AREA BOUNDARY,
	TOWNSHIP 3 SOUTH, RANGE 3 WEST
Of the <u>G</u> In the State of <u>A</u>	ila and Salt River Meridian, rizona
	EXECUTED BY Olian T. Shockley, Cadastral Surveyor

Under Special Instructions dated <u>October 21, 1993</u>, approved <u>October 21, 1993</u>, which provided for the surveys included under Group Number <u>762</u> and assignment instructions dated <u>October 22, 1993</u>.

Survey commenced March 17, 1994
Survey completed August 2, 1994

2 BOOK 5481 INDEX DIAGRAM

TOWNSHIP 3 SOUTH, RANGE 3 WEST,

	1	·			
6	5	4	3	2	1
			8	6	4
7	8	9	10	11	12
18	17	16	15 77	14	13
19	20	21 •	22	23	24
30	29 10		27	26	25
31		3 33	34	35	36

Metes-and-Bounds Survey of NMMWA pp. 15-124

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of the dependent resurvey of a portion of the subdivisional lines, and the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 3 South, Range 3 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this dependent resurvey and survey is as follows: The west boundary was surveyed by Solomon W. Foreman in 1871. The west boundary was resurveyed by Benjamin J. Kinsey and Karl L. Siebecker in 1930-31. The east boundary was surveyed by W. H. Thorn, W. G. Shapcott and W. K. Kierulff in 1915-16. The south boundary and subdivisional lines were surveyed by Benjamin J. Kinsey in 1931.

The survey was executed in accordance with the specifications as set forth in the <u>Manual of Surveying Instructions</u>, 1973, and the Special Instructions dated October 21, 1993, for Group No. 762, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with a Lietz Set 2B II total station.

The geographic position of the cor. of secs. 1, 6, 7, and 12 on the E. bdy. of the Tp., as determined from U.S. Geological Survey triangulation station "SKULL 1949", located in the NW quarter of section 19, Township 3 South, Range 3 West, is as follows:

Latitude: 33°11'20.13" N. Longitude: 112°30'43.14" W. NAD 27

The mean magnetic declination as taken from quadrangle map MARGIES PEAK, ARIZ., published in 1973 by U.S. Geological Survey, is 13 1/2° E.

CHAINS	
Carmin	Restoring the survey executed by Benjamin J. Kinsey, in 1931
	From the cor. of secs. 1, 6, 7, and 12, on the E. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 18 ins. above ground, with a mound of stone to the W., 5 ft. base, 1 ft. high, with brass cap mkd. T3S R3W R2W S1 S6 S12 S7 1994 1916 as described in the field note record of the dependent resurvey of a portion of the subdivisional lines of T. 3 S., R. 2 W., executed concurrently under this same group.
	N. 89°47' W., bet. secs. 1 and 12, along the North Maricopa Mountains Wilderness Area Bdy.
0.15	Wash, 5 lks. wide, 1 ft. deep, drains NE.
40.00	The 1/4 sec. cor. of secs. 1 and 12, monumented with an iron post, 1 in. diam., firmly set, projecting 16 ins. above ground, with a mound of stone to the N., 4 ft. base, 1 ft. high, with brass cap mkd. 1/4 S1 S12 1931.
	Add the marks T3S R3W 1994 on the brass cap.
	N. 89°54' W., beginning new measurement.
39.95	The cor. of secs. 1, 2, 11, and 12, monumented with an iron post, 2 ins. diam., firmly set, projecting 20 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T3S R3W S2 S1 S11 S12 1931, from which the remaining original bearing tree
	An ironwood, 12 ins. diam., bears N. 62 3/4° W., 120 lks. dist., mkd. BT on open blaze. (Record: paloverde, bears N. 73 1/2° W., 110 lks. dist.)
	Add the marks 1994 on the brass cap.
	Cor. is located 15 lks. E. of a wash, 20 lks. wide, 2 ft. deep, drains SSE.
es de la constanta de la const	From the 1/4 sec. cor. of secs. 23 and 26, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. 1/4 S23 S26 1931.
	Add the marks T3S R3W 1994 on the brass cap.
	N. 89°56' W., bet. secs. 23 and 26.

	1. 3 3., R. 3 W., Gild and Sait River Meridian, Arizona
CHAINS	
4.76	Point for a witness point at intersection with line 38-39 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 38 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 26°18′ W., 4.41 chs. dist.
6.60	Point for a witness point at intersection with line 72-73 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 73 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 26°17′ W., 3.61 chs. dist.
40.05	The cor. of secs. 22, 23, 26, and 27, monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T3S R3W S22 S23 S27 S26 1931, from which the original bearing trees
	A paloverde, 16 ins. diam., bears S. 5° E., 47 lks. dist., with healed blaze.
	An ironwood, 30 ins. diam. at the base, bears N. 87° W., 71 lks.dist., mkd. R3W S S22 BT on a partially healed blaze.
	Add the marks 1994 on the brass cap.
	Cor. is located 70 lks. N. of a wash, 20 lks. wide, 3 ft. deep, drains NW.
	N. 0°08' E., bet. secs. 22 and 23.
18.88	Point for a witness point at intersection with line 84-85 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 85 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 41°52′ W., O.67 chs. dist.
21.22	Point for A.P. 27 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.07	The 1/4 sec. cor. of secs. 22 and 23, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. 1/4 S22 S23 1931 from which the original bearing tree
<u> </u>	

CHAINS	
	A paloverde, 20 ins. diam. at the base, bears S. 25° E., 117 lks. dist., with illegible scribe marks.
	Add the marks T3S R3W 1994 on the brass cap.
	From the cor. of secs. 1, 2, 11, and 12.
	S. 89°39' W., bet. secs. 2 and 11, along the North Maricopa Mountains Wilderness Area Bdy.
40.02	The 1/4 sec. cor. of secs. 2 and 11, monumented with an iron post, 1 in. diam., firmly set, projecting 18 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. 1/4 S2 S11 1931.
	Add the marks T3S R3W 1994 on the brass cap.
	Cor. is located on a steep, rocky N. slope.
	N. 89°17′ W., beginning new measurement.
40.00	The cor. of secs. 2, 3, 10, and 11, monumented with an iron post, 2 ins. diam., firmly set, projecting 13 ins. above ground, with brass cap mkd. T3S R3W S3 S2 S10 S11 1931.
	Add the marks 1994 on the brass cap.
	From the cor. of secs. 21, 22, 27, and 28, monumented with an iron post, 2 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T3S R3W S21 S22 S28 S27 1931, from which the remaining original bearing trees
	A paloverde, 22 ins. diam., bears N. 42 1/2° E., 185 lks. dist., with illegible marks on healed blaze. (Record: 182 lks. dist.)
	An ironwood, 13 ins. diam., bears S. 17° W., 146 lks. dist., mkd. T3S R3W S28 BT.
	An ironwood stump, 13 ins. diam., bears N. 86° W., 167 lks. dist., with illegible marks on healed blaze.
	Add the marks 1994 on the brass cap.
	N. 0°04' W., bet. secs. 21 and 22.
3.19	Point for A.P. 104 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.

	T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona
CHAINS	·
40.05	The 1/4 sec. cor. of secs. 21 and 22, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above ground, with a mound of stone to the W., 3 ft. base, 2 ft. high, with brass cap mkd. 1/4 S21 S22 1931.
	Add the marks T3S R3W 1994 on the brass cap.
	Cor. is located 10 lks. S. of a trail road, bears ESE and WNW.
	From the cor. of secs. 14, 15, 22, and 23, monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. T3S R3W S15 S14 S22 S23 1931, from which the original bearing tree
	An ironwood, 20 ins. diam., bears N. 63 1/2° W., 213 lks. dist., mkd. T3S R3W S15 B. (Record: 211 lks. dist.)
	Add the marks 1994 on the brass cap.
	S. 89°51′ W., bet. secs. 15 and 22.
30.14	Point for A.P. 15 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.13	The 1/4 sec. cor. of secs. 15 and 22, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above ground, with a mound of stone to the N., 3 ft. base, 2 ft. high, with brass cap mkd. 1/4 S15 S22 1931.
	Add the marks T3S R3W 1994 on the brass cap.
	From the cor. of secs. 10, 11, 14, and 15, monumented with an iron post, 2 ins. diam., firmly set, projecting 30 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. T3S R3W S10 S11 S15 S14 1931, from which the original bearing tree
	A forked ironwood, 13 ins. diam., bears S. 71 1/4° E., 68 lks. dist., mkd. R3S 14 BT. (Record: S. 66 1/2° E.)
	Add the marks 1994 on the brass cap.
	S. 89°48′ W., bet. secs. 10 and 15.
23.98	Point for a witness point at intersection with line 5-6 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.

	i. J J., R. J W., Gila and Sait River Meridian, Arizona
CHAINS	
	From this cor. point, A.P. 5 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 40°40′ W., 2.72 chs. dist.
40.17	The 1/4 sec. cor. of secs. 10 and 15, monumented with an iron post, 1 in. diam., firmly set, projecting 30 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. 1/4 S10 S15 1931.
	Add the marks T3S R3W 1994 on the brass cap.
	From the cor. of secs. 2, 3, 10, and 11.
	S. 89°53' W., bet. secs. 3 and 10, along the North Maricopa Mountains Wilderness Area Bdy.
10.32	Point for A.P. 1 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	Leave the North Maricopa Mountains Wilderness Area Bdy.
40.06	The 1/4 sec. cor. of secs. 3 and 10, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. 1/4 S3 S10 1931.
	Add the marks T3S R3W 1994 on the brass cap.
	From the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., monumented with an iron post, 2 ins. diam., firmly set, projecting 3 ins. above ground, with a mound of stone to the W., 3 ft. base, 2 ft. high, with brass cap mkd. T3S R3W S32 S33 S5 S4 T4S 1931.
	Add the marks 1994 on the brass cap.
	Cor. is located 85 lks. N. of a wash, 70 lks. wide, 5 ft. deep, drains W.
	N. O°O3' E., bet. secs. 32 and 33.
11.63	Point for a witness point at intersection with line 151-152 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 151 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 78°45' E., 0.40 chs. dist.
1	

	1. 3 3., R. 3 W., Gita and Sait River Meritulan, Artizona
CHAINS	
13.53	Intersect line 159-160 of the North Maricopa Mountains Wilderness Area Bdy.
	From this point, A.P. 160 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described, bears S. 70°34' E., 0.95 chs. dist.
13.93	Point for a witness point at intersection with line 160-161 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 160 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described, bears S. 51°25' E., 1.14 chs. dist.
16.00	Point for a witness point at intersection with line 147-148 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 147 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described, bears N. 64°03' W., 0.78 chs. dist.
24.97	Point for A.P. 145 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
32.97	Point for a witness point at intersection with line 143-144 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 143 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 78°53' W., 0.60 chs. dist.
34.16	Point for a witness point at intersection with line 142-143 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 143 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 28°52′ W., 1.23 chs. dist.
37.65	Point for a witness point at intersection with line 166-167 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 167 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 26°55' E., 1.46 chs. dist.
L	

CHAINS	
40.06	The 1/4 sec. cor. of secs. 32 and 33, determined at record bearing and distance from the remaining original bearing tree
	A paloverde, 20 ins. diam., bears N. 29° E., 234 lks. dist., mkd. 33 BT.
	At the cor. point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S_R3W
	1/4 \$32 \$33
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 130 lks. W. of a trail road, bears S. and NNW, and 190 lks. E. of a wash, 60 lks. wide, 2 ft. deep, drains S.
	N. O°O2' W., beginning new measurement.
1.85	Point for a witness point at intersection with line 167-168 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 168 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 12°37′ W., 2.57 chs. dist.
19.25	Intersect line 136-137 of the North Maricopa Mountains Wilderness Area Bdy.
	From this point, A.P. 136 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 86°21′ W., 0.36 chs. dist.
40.08	The cor. of secs. 28, 29, 32, and 33, monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd T3S R3W S29 S28 S32 S33 1931.
	Add the marks 1994 on the brass cap.
	N. 0°01' W., bet. secs. 28 and 29.
1	

	1. J S., R. J W., Gila and Sait River Meridian, Milzona
CHAINS	
40.11	The 1/4 sec. cor. of secs. 28 and 29, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. 1/4 S29 S28 1931, from which the remains of the original bearing trees
	A root hole bears S. 37° W., 202 lks. dist., with fallen paloverde, 18 ins. diam., alongside, illegible marks on rotted blaze.
i i	Add the marks T3S R3W 1994 on the brass cap.
	N. O°01' E., beginning new measurement.
24.60	Intersect line 119-120 of the North Maricopa Mountains Wilderness Area Bdy.
	From this point, A.P. 119 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 81°57' E., 7.61 chs. dist.
40.09	The cor. of secs. 20, 21, 28, and 29, determined from the remains of the original bearing trees
	A forked, dead ironwood, 8 ins. diam. at the base, bears N. 32° E., 83 lks. dist., mkd. T3S R3W S21 BT.
	A forked ironwood, 24 ins. diam. at the base, bears S. 84 1/4° E., 148 lks. dist., with illegible mks. (Record: S. 85° E.)
	A forked ironwood, 20 ins. diam. at the base, bears S. 56 1/4° W., 43.5 lks. dist., with illegible mks. (Record: S. 58° W., 41 lks. dist.)
	At the cor. point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, atop a steel fence post, 5 ft. long, with brass cap mkd.
	T3S R3W S20 S21
	S29 S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

	1. 5 5., K. 5 w., dita and Safe River Mer Water, Ar 12010
CHAINS	
	The original iron post, 3 ft. long, 2 ins. diam., with brass cap mkd. T3S R3W S2O S21 S29 S28 1931, was found lying disturbed nearby, 1 1/2 ft. below the surface of the ground. Remove the iron post.
	Cor. is located 470 lks. N. of a trail road, bears E. and W.
	From the cor. of secs. 21, 22, 27, and 28.
	N. 89°56′ W., bet. secs. 21 and 28.
4.15	Point for A.P. 105 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.12	The 1/4 sec. cor. of secs. 21 and 28, monumented with an iron post, 1 in. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. 1/4 S21 S28 1931.
	Add the marks T3S R3W 1994 on the brass cap.
	Cor. is located 50 lks. N. of a trail road, bears E. and W.
	From the cor. of secs. 28, 29, 32, and 33.
	West, bet. secs. 29 and 32.
4.76	Point for a witness point at intersection with line 131-132 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 132 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 0°40′ W., 0.82 chs. dist.
6.67	Intersect line 176-177 of the North Maricopa Mountains Wilderness Area Bdy.
	From this point, A.P. 176 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 2°18′ W., O.28 chs. dist.
40.13	The 1/4 sec. cor. of secs. 29 and 32, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. 1/4 S29 S32 1931.
	Add the marks T3S R3W 1994 on the brass cap.
i	

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS

From the 1/4 sec. cor. of secs. 30 and 31, monumented with an iron post, 1 in. diam., firmly set, projecting 24 ins. above ground, in a mound of stone, 5 ft. base, 16 ins. high, with brass cap mkd. 1/4 S30 S31 1931.

Add the marks T3S R3W 1994 on the brass cap.

Cor. is located on the steep west slope of a ridge, approximately 160 ft. high, bears WNW and ESE.

N. 89°54' W., bet. secs. 30 and 31.

34.91

The closing cor. of secs. 30 and 31, on the W. bdy. of the Tp., monumented with an iron post, 2 ins. diam., firmly set, projecting 22 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T3S T3S R4W S25 S30 S31 CC R3W 1994 1931 as described in the field note record of the dependent resurvey of a portion of the east boundary of T. 3 S., R. 4 W., executed concurrently under this same group.

From this cor. point, the cor. of secs. 25 and 36 only, T. 3 S., R. 4 W., monumented with an iron post, 2 ins. diam. firmly set, projecting 22 ins. above ground, in a mound of stone, 5 ft. base, 1 ft. high, with brass cap mkd. T3S R4W R3W S25 S36 S31 1994 1930 as described in the field note record of the dependent resurvey of a portion of the east boundary of T. 3 S., R. 4 W., executed concurrently under this same group, bears S. 0°19′ E., 2.74 chs. dist.

From the 1/4 sec. cor. of secs. 29 and 30, monumented with an iron post, 1 in. diam., firmly set, projecting 20 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. 1/4 S30 S29 1931.

Add the marks T3S R3W 1994 on the brass cap.

Cor. is located on a steep, rocky NW slope, 3 chs. N. of a rocky spur, slopes W.

N. 0°01' W., bet. secs. 29 and 30.

25.61

Intersection line 201-202 of the North Maricopa Mountains Wilderness Area Bdy.

From this point, A.P. 202 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 61°50′ W., 1.03 chs. dist.

POOK 5481

	1. 5 5., R. 5 W., Gila and Sait River Meridian, Arizona
CHAINS	
40.05	The cor. of secs. 19, 20, 29, and 30, monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T3S R3W S19 S20 S30 S29 1931.
	Add the marks 1994 on the brass cap.
	From the 1/4 sec. cor. of secs. 19 and 30, monumented with an iron post, 1 in. diam., firmly set, projecting 30 ins. above ground, in a mound of stone, 5 ft. base, to top, with brass cap mkd. 1/4 S19 S30 1931.
	Add the marks T3S R3W 1994 on the brass cap.
	N. 89°36' W., bet. secs. 19 and 30.
	Ascend steep, boulder covered, east slope of mountain.
34.46	The witness cor. to the closing cor. of secs. 19 and 30, monumented with an iron post, 2 ins. diam., firmly set, projecting 24 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. WC T3S S19 CC S30 R3W T3S R4W S24 1931.
	Add the marks 1994 on the brass cap.
35.35	Intersect the W. bdy. of the Tp., true point for the closing cor. of secs. 19 and 30, falls on the steep face of an exposed rock outcrop; impracticable to monument.
	From this point, the cor. of secs. 24 and 25 only, T. 3 S., R. 4 W., monumented with an iron post, 2 ins. diam, firmly set, projecting 20 ins. above ground, in a mound of stone, 5 ft. base, to top, with brass cap mkd. T3S R4W R3W S24 S25 S30 1994 1930 as described in the field note record of the dependent resurvey of a portion of the east boundary of T. 3 S., R. 4 W., executed concurrently under this same group, bears S. 0°30′ E., 3.19 chs. dist.
	From this same point, the 1/4 sec. cor. of sec. 24 only, T. 3 S., R. 4 W., monumented with an iron post, 1 in. diam, firmly set, projecting 18 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. T3S R4W R3W 1/4 S24 1994 1930 as described in the field note record of the dependent resurvey of a portion of the east boundary of T. 3 S., R. 4 W., executed concurrently under this same group, bears N. 0°30′ W., 36.79 chs. dist.

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS

The point for the 1/4 sec. cor. of sec. 30 only, T. 3 S., R. 3 W., is at midpoint on the W. bdy. of sec. 30.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

T3S R4W R3W | 1/4 S30

1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located on the N. edge of a dry wash, 20 lks. wide, 2 ft. deep, drains WSW.

From this cor. point, the cor. of secs. 24 and 25 only, T. 3 S., R. 4 W., hereinbefore described, bears N. 0°15′ W., 36.985 chs. dist.

From this same cor, point, the 1/4 sec. cor. of sec. 25 only, T. 3 S., R. 4 W., monumented with an iron post, 1 in. diam, firmly set, projecting 5 ins. above ground, with brass cap mkd. T3S R4W R3W 1/4 S25 1994 1930 as described in the field note record of the dependent resurvey of a portion of the east boundary of T. 3 S., R. 4 W., executed concurrently under this same group, bears S. 0°15′ W., 2.925 chs. dist.

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

In Sec. 10

From A.P. 1, on line bet. secs. 3 and 10.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R3W S 3 S10 AP1 NMMWA 1994

CHAINS

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 8 lks. E. of a barbed wire fence, 4 strand, bears N and SSW.


From this cor. point, the cor. of secs. 2, 3, 10, and 11, hereinbefore described, bears N. 89°53′ E., 10.32 chs. dist

S. 7°10' W., on line 1-2 of the North Maricopa Mountains Wilderness Area Bdy.

E. of a barbed wire fence.

31.52 | Point for A.P. 2.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.


Cor. is located 8 lks. E. of a fence corner, barbed wire fences, 4 strands, bear N. and SSW.

S. 35°27' W., on line 2-3 of the North Maricopa Mountains Wilderness Area Bdy.

E. of a barbed wire fence.

36.36 | Point for A.P. 3.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.



Metes-and-Bounds Survey of the

North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

-c	lΑ	Ιħ	₫¢

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.


Cor. is located 8 lks. E. of a barbed wire fence, 4 strands, bears NNE and SSW.

S. 35°45′ W., on line 3-4 of the North Maricopa Mountains Wilderness Area Bdy.

E. of a barbed wire fence.

4.03 | Point for A.P. 4.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.


Cor. is located 8 lks. E. of a fence corner, barbed wire fences, 4 strand, extend NNE and SE.

S. 40°54′ E., on line 4-5 of the North Maricopa Mountains Wilderness Area Bdy.

E. of a barbed wire fence.

18.13 | Point for A.P. 5.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

	T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Cor. is located on the west side of a rocky ridge, bears SE and NW. 8 lks. SE of the terminus of a barbed wire fence, 4 strand, bears NW.
	S. 40°40' E., on line 5-6 of the North Maricopa Mountains Wilderness Area Bdy.
	Along the top of a ridge.
2.72	Point for a witness point at intersection with the line bet. secs. 10 and 15.
	Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in place, in a drill hole, in a granite boulder, 8 X 5 X 1 1/2 ft. high, with top mkd.
	T3S R3W S10 NMMWA
	S15 1994
one of the control of	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located on a rocky, boulder covered slope, 25 ft. below the top of a narrow, hogback ridge, bears SE and NW.
	From this cor. point, the 1/4 sec. cor. of secs. 10 and 15, hereinbefore described, bears S. 89°48' W., 16.19 chs. dist.
	In Sec. 15
	Continue on line 5-6.
7.73	Point for A.P. 6.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on a granite outcrop, 14 X 12 X 4 ft. high, with top mkd.
	T3S R3W
	S15 AP6 NMMWA
	1994
1	

CH	A	r	ıs

Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole beneath the brass tablet.


Cor. is located atop a rocky ridge, bears irregularly ENE and SSW.

S. 9°03' W., on line 6-7 of the North Maricopa Mountains Wilderness Area Bdy.

Along the top of a ridge.

6.49 Point for A.P. 7.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on a granite outcrop, 15 X 10 x 3 ft. high, with top mkd.



Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.

Cor. is located atop a rocky ridge, bears NNE and S.

S. 1°14' E., on line 7-8 of the North Maricopa Mountains Wilderness Area Bdy.

Along the top of a ridge.

7.82 | Point for A.P. 8.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 3 X 2 ft. high, with top mkd.



Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.

_				
- C	\mathbf{H}_{I}	٩E	N	5


Cor. is located atop a rocky ridge, bears irregularly N. and SW.

S. 48°12′ W., on line 8-9 of the North Maricopa Mountains Wilderness Area Bdy.

Along the top of a ridge.

5.51 | Point for A.P. 9.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on exposed granite bedrock, 53 X 12 X 2 ft. high, with top mkd.



Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.

Cor. is located at the highest point on a rocky ridge, 1900 ft. high, bears irregularly N. and SE.

S. $5^{\circ}48'$ W., on line 9-10 of the North Maricopa Mountains Wilderness Area Bdy.

Along the top of a ridge.

7.21 | Point for A.P. 10.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on exposed granite bedrock, 25 X 13 X 3 ft. high, with top mkd.

Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.

Cor. is located atop a rocky ridge, bears irregularly N. and SSW.

CHAINS	
	S. 16°46' W., on line 10-11 of the North Maricopa Mountains Wilderness Area Bdy.
	Along the top of a ridge.
6.18	Point for A.P. 11.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 3 X 2 1/2 ft. high, with top mkd.
	T3S, R3W
	S15 AP11 NMMWA
	/ 1994
	Deposit a magnet, 1 in. diam., 7/8 in. diam., in the drill hole beneath the brass tablet.
	Cor. is located atop a rocky ridge, bears N. and SW.
	S. 17°26' W., on line 11-12 of the North Maricopa Mountains Wilderness Area Bdy.
	Along the top of a ridge.
9.93	Point for A.P. 12.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 5 X 3 X 3 ft. high, with top mkd.
	T3S R3W
	S15 AP12 NMMWA
	1994
	Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole beneath the brass tablet.
	Cor. is located atop a rocky ridge, bears irregularly NNE and SE.
	S. 54°40' E., on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy.

CHAINS	
	Along the top of a ridge.
3.43	Point for A.P. 13.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W
	S15 AP13 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located at the base of a rocky ridge, bears NW, and 8 lks. E. of the terminus of a barbed wire fence, 4 strands, bears SSE.
	S. 27°12' E., on line 13-14 of the North Maricopa Mountains Wilderness Area Bdy.
	East of a barbed wire fence.
4.32	Point for A.P. 14.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	T3Ş R3W
	S15 AP14 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 8 lks. E. of the corner of barbed wire fences, 4 strand, extend NNW and S.
	S. 7°04' W., on line 14-15 of the North Maricopa Mountains Wilderness Area Bdy.
	East of a barbed wire fence.

	1. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona
CHAINS	
30.16	Point for A.P. 15, on the line bet. secs. 15 and 22.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W
	S15 AP15
	S22 NMMWA
;	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 8 lks. E. of a barbed wire fence, 4 strand, bears N and SSW.
	From this cor. point, the 1/4 sec. cor. of secs. 15 and 22, hereinbefore described, bears S. 89°51′ W., 9.99 chs. dist.
	In Sec. 22
	S. 7°O6' W., on line 15-16 of the North Maricopa Mountains Wilderness Area Bdy.
	East of a barbed wire fence.
39.18	Point for A.P. 16.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, encircled with a collar of stone, with brass cap mkd.
	T3S R3W
	S22
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located on the W. side of a low hill, 8 lks. E. of a barbed wire fence, 4 strand, bears N. and S.

CHAINS	
	S. 7°05' W., on line 16-17 of the North Maricopa Mountains Wilderness Area Bdy.
	East of a barbed wire fence.
30.17	Point for A.P. 17.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
The state of the s	T3S R3W NMMWA AP17 S22
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 7 lks. E. of a barbed wire fence, 4 strand, bears N. and S., and 75 lks. N. of a trail road, bears E. and WNW, in curve.
	N. 66°51' E., on line 17-18 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
3.79	Point for A.P. 18.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP18
	\$22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. N. of a trail road, bears ENE and WSW.
	N. 69°41' E., on line 18-19 of the North Maricopa Mountains Wilderness Area Bdy.

B00K 5481

CHAINS	
	NNW of a trail road.
6.46	Point for A.P. 19.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP19
	\$22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. N. of a trail road, bears E. and WSW, in curve.
	N. 87°46' E., on line 19-20 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of a trail road.
6.83	Point for A.P. 20.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP20
	S22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. N. of a trail road, bears ENE and W., in curve.
	N. 47°19' E., on line 20-21 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
4.04	Point for A.P. 21.

CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP21
	\$22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 105 lks. N. of a trail road, bears NE and SW.
	N. 73°37' E., on line 21-22 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
2.37	Point for A.P. 22.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP22
	S22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. N. of a trail road, bears ESE and WSW, in curve.
	S. 58°41' E., on line 22-23 of the North Maricopa Mountains Wilderness Area Bdy.
	NNE of a trail road.
4.60	Point for A.P. 23.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W NMMWA AP23
	S22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. N. of a trail road, bears E. and WNW, in curve.
P.	N. 82°49' E., on line 23-24 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of a trail road.
3.87	Point for A.P. 24.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP24
	S22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. N. of a trail road, bears ENE and W., in curve.
	N. 68°12' E., on line 24-25 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
3.90	Point for A.P. 25.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W NMMWA AP25
	\$22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. N. of a trail road, bears NE and WSW, in curve.
	N. 54°12' E., on line 25-26 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
3.50	Point for A.P. 26.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP26
	S22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 115 lks. N. of a trail road, bears ENE and SW, in curve.
	N. 71°09' E., on line 26-27 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
2.99	Point for A.P. 27, on the line bet. secs. 22 and 23.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W NMMWA AP27
	S22 S23 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. N. of the intersection of a trail road and wash, the trail road, 15 lks. wide, bears SE and W., in curve, the wash, 30 lks. wide, 4 ft. deep, drains SSW.
	From this cor. point, the 1/4 sec. cor. of secs. 22 and 23, hereinbefore described, bears N. 0°08' E., 18.85 chs. dist.
	In Sec. 23
	S. 41°33' E., on line 27-28 of the North Maricopa Mountains Wilderness Area Bdy.
	NE of a trail road.
4.58	Point for A.P. 28.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP28
	S23 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. E. of a trail road, bears SE and NW.
	S. 56°23' E., on line 28-29 of the North Maricopa Mountains Wilderness Area Bdy.
	NNE of a trail road.
7.40	Point for A.P. 29.

	
CHAINS	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP29
	\$23 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. N. of a trail road, bears ESE and NW, in curve.
	S. 71°29' E., on line 29-30 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
1.53	Point for A.P. 30.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP3O
	S23 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. N. of a trail road, bears ESE and WNW.
	N. 59°47' E., on line 30-31 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
4.67	Point for A.P. 31.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

1	WF-9
CHAINS	
	T3S R3W
	NMMWA
	AP31
	\$23
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of a trail road, bears ENE and WSW.
	N. 72°52' E., on line 31-32 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
4.71	Point for A.P. 32.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W
	NMMWA AP32
	\$23 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of a trail road, bears E. and WSW, in curve.
	S. 75°57' E., on line 32-33 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
4.54	Point for A.P. 33.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

Metes-and-Bounds Survey of the

									4			
	No	rth	Mar	ic	opa	Mount	ains	Wild	erness	Area	Boun	dary,
T.	3	s.,	R.	3	₩.,	Gila	and	Salt	River	Merid	lian,	Arizona


CHAINS T3S R3W **NMMWA** AP33 S23 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 100 lks. E. of a trail road, bears SSE and W., in curve. S. 16°12' E., on line 33-34 of the North Maricopa Mountains Wilderness Area Bdy. ENE of a trail road. 3.65 Point for A.P. 34. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R3W AWMMA / AP34 Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post. Cor. is located 95 lks. E. of a trail road, bears SSE and NNW. S. 22°23' E., on line 34-35 of the North Maricopa Mountains Wilderness Area Bdy. ENE of a trail road. 1.96 Point for A.P. 35. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

CHAINS T3S R3W **NMMWA** AP35 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 120 lks. N. of a trail road, bears SE and NNW, in curve. S. 38°00' E., on line 35-36 of the North Maricopa Mountains Wilderness Area Bdy. NE of a trail road. 4.10 Point for A.P. 36. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T3S R3W **NMMWA** AP36 S23 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 105 lks. E. of a trail road, bears ESE and NW, in curve. S. 71°07′ E., on line 36-37 of the North Maricopa Mountains Wilderness Area Bdy. NNE of a trail road.

3.52 | Point for A.P. 37.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.


Cor. is located 100 lks. N. of a trail road, bears SE and WNW, in curve.

S. 42°47' E., on line 37-38 of the North Maricopa Mountains Wilderness Area Bdy.

NE of a trail road.

3.06 Point for A.P. 38.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 80 lks. E. of a trail road, bears SSE and NW, in curve.

S. 26°18' E., on line 38-39 of the North Maricopa Mountains Wilderness Area Bdy.

ENE of a trail road.

4.41 Point for a witness point at intersection with the line bet. secs. 23 and 26.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

CHAINS	
	WP
	T3S R3W
	S23 \
	S26 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. E. of a trail road, 15 lks. wide, bears SSE and NNW.
	From this cor. point, the 1/4 sec. cor. of secs. 23 and 26, hereinbefore described, bears S. 89°56' E., 4.76 chs. dist.
	In Sec. 26
	Continue on line 38-39.
13.27	Point for A.P. 39.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP39
	S26 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. E. of a trail road, bears SSE and NNE.
	S. 17°44' E., on line 39-40 of the North Maricopa Mountains Wilderness Area Bdy.
	ENE of a trail road.
6.05	Point for A.P. 40.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W NMMWA AP40
	\$261 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. E. of a trail road, bears NNE and S, in curve.
	S. O°O9' W., on line 40-41 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
4.50	Point for A.P. 41.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S26 AP41 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. E. of a trail road, bears N. and SSW, in curve.
	S. 3°40' W., on line 41-42 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
6.13	Point for A.P. 42.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

CHAINS T3S R3W IAP42 S26 **NMMWA** Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 100 lks. E. of a trail road, bears S. and NNW, in curve. S. 5°21' E., on line 42-43 of the North Maricopa Mountains Wilderness Area Bdy. E. of a trail road. Point for A.P. 43. 9.58 Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd. T3S, R3W NMMWA AP43 1994 Deposit a magnet in a 1 x 1 x 2 ins. White plastic case beneath the stainless steel post. Cor. is located 95 lks. E. of a trail road, bears N. and S. S. 13°32' E., on line 43-44 of the North Maricopa Mountains Wilderness Area Bdy. E. of a trail road.

6.29

Point for A.P. 44.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

CHAINS **T3S R3W** AWMMM AP44 S26 1994 Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post. Cor. is located 100 lks. E. of a trail road, bears N. and S. S. 7°45' E., on line 44-45 of the North Maricopa Mountains Wilderness Area Bdy. E. of a trail road. Point for A.P. 45. 6.08 Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. T3S R3W NMMWA AP45 S26 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 100 lks. E. of a trail road, bears N. and S. S. 14°07' E., on line 45-46 of the North Maricopa Mountains Wilderness Area Bdy. E. of a trail road. 4.72 Point for A.P. 46. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona CHAINS T3S R3W NMMWA AP46 **\$26** 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 90 lks. E. of a trail road, bears SSE and NNW. N. 62°30' E., on line 46-47 of the North Maricopa Mountains Wilderness Area Bdy. 0.79 Point for A.P. 47. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R3W NMMWA 1994 Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post. Cor. is located 140 lks. E. of a trail road, bears N. and S. S. 30°35' E., on line 47-48 of the North Maricopa Mountains Wilderness Area Bdy. 4.21 Point for A.P. 48. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R3W AWMMA AP48 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath

the stainless steel post.

CHAINS	
	S. 53°45' W., on line 48-49 of the North Maricopa Mountains Wilderness Area Bdy.
0.77	Point for A.P. 49.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S26 AP49
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. E. of a trail road, bears SE and NNW, in curve.
	S. 35°33' E., on line 49-50 of the North Maricopa Mountains Wilderness Area Bdy.
	NE of a trail road.
3.68	Point for A.P. 50.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W
	NMMWA
	S26 AP50
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. N. of a trail road, bears SE and NW.
	S. 49°31' E., on line 50-51 of the North Maricopa Mountains Wilderness Area Bdy.
	NE of a trail road.
5.39	Point for A.P. 51.

CHAINS				
	Į			
	i			

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

T3S R3W NMMWA AP51 S26 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.


Cor. is located 150 lks. N. of a trail road, bears SE and NW.

S. 57°01' E., on line 51-52 of the North Maricopa Mountains Wilderness Area Bdy.

NNE of a trail road.

3.45 | Point for A.P. 52.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 125 lks. N. of a trail road, bears SE and NNW.

S. 42°24′ E., on line 52-53 of the North Maricopa Mountains Wilderness Area Bdy.

NE of a trail road.

4.83 | Point for A.P. 53.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

42

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS T3S R3W **NMMWA** 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. N. of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend E. and SSW. N. 89°37' E., on line 53-54 of the North Maricopa Mountains Wilderness Area Bdy. N. of a barbed wire fence. Point for A.P. 54. 3.51 Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd. T3S R3W AP54 S26 **NMMWA** 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 65 lks. NE of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend W. and S. S. 3°39' E., on line 54-55 of the North Maricopa Mountains Wilderness Area Bdy. E. of a barbed wire fence. 3.92 Point for A.P. 55. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS T3S R3W S26 AP55 **NMMWA** 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 65 lks. SE of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend N. and W. S. 89°03' W., on line 55-56 of the North Maricopa Mountains Wilderness Area Bdy. S. of a barbed wire fence. Point for A.P. 56. 3.88 Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd. T3S R3W S26 AP56 NMMWA 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 65 lks. SW of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend N. and E. N. 3°58' W., on line 56-57 of the North Maricopa Mountains Wilderness Area Bdy. W. of a barbed wire fence. 2.76 Point for A.P. 57. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W
	S26
	AP57
	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend NNE and S.
	N 53°47' W., on line 57-58 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
3.89	Point for A.P. 58.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
<u> </u>	Ţ3S R3W
	AP58 \$26
	AWMMA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 150 lks. S. of a trail road, bears S. and NNW, in curve.
	N. 34°52' W., on line 58-59 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
1.55	Point for A.P. 59.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, brass cap mkd.
	I

CHAINS J3S R3W 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 125 lks. S. of a trail road, bears SSE and WNW, in curve. N. 56°55' W., on line 59-60 of the North Maricopa Mountains Wilderness Area Bdy. SSW of a trail road. 3.25 Point for A.P. 60. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R3W **NMMWA** Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 130 lks. S. of a trail road, bears SE and NW. N. 49°13′ W., on line 60-61 of the North Maricopa Mountains Wilderness Area Bdy. SW of a trail road. 5.83 Point for A.P. 61. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R3W

B00K₄₆5481

	T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 115 lks. S. of a trail road, bears SE and NW.
	N. 35°17' W., on line 61-62 of the North Maricopa Mountains Wilderness Area Bdy.
Total Property Control Control	SW of a trail road.
3.67	Point for A.P. 62.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W S26
	AP62
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. S. of a trail road, bears SSE and NW, in curve.
	S. 48°46′ W., on line 62-63 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
0.76	Point for A.P. 63.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
>	T3S R3W
	\ s26_
	AP63
	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

CHAINS	
CHALVO	Cor. is located 50 lks. N. of a wash, 50 lks. wide, 3 ft. deep, drains SSE.
	N. 26°13' W., on line 63-64 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
4.74	Point for A.P. 64.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP64 S26
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 18 lks. E. of a wash, 50 lks. wide, 3 ft. deep, drains SSE.
	N. 58°27' E., on line 64-65 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
0.36	Point for A.P. 65.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W
	AP65 NMMWA S26
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. W. of a trail road, bears N. and S.

CHAINS	
	N. 20°31' W., on line 65-66 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
2.95	Point for A.P. 66.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W
	AP66 \
	NMMWA S26
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 115 lks. W. of a trail road, bears NNW and SSE.
	N. 7°58' W., on line 66-67 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
8.53	Point for A.P. 67.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W
	NMMWA AP67 S26
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. W. of a trail road, bears N. and S.
	N. 14°O2' W., on line 67-68 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.

B00K₄₉5481

CHAINS	1. 5 S., R. 5 W., Gild and Sait River Meridian, Arizona
6.59	Point for A.P. 68.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S _v R3W
	NMMWA AP68 S26
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. W. of a trail road, bears N. and S.
	N. 5°01' W., on line 68-69 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
9.19	Point for A.P. 69.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W
	NMMWA AP69 S26
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. W. of a trail road, bears NNW and S, in curve.
	N. 25°31' W., on line 69-70 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
2.71	Point for A.P. 70.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W
	NMMWA /
	AP70 \ S26
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 100 lks. W. of a trail road, bears NE and SSE, in curve.
	N. 11°07' E., on line 70-71 of the North Maricopa Mountains Wilderness Area Bdy.
	W of a trail road.
8.40	Point for A.P. 71.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3₩
	NMMWA \
	AP71 > S26
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. W. of a trail road, bears NNE and S., in curve.
	·
	N. 18°31' W., on line 71-72 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
5.64	Point for A.P. 72.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

	1. J S., R. S W., Gila and Sait River Meridian, Arizona
CHAINS	
	T3S R3W NMMWA AP72 S26
-	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. W. of a trail road, bears SSE and NNW.
	N. 26°17′ W., on line 72-73 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
9.56	Point for a witness point at intersection with the line bet. secs. 23 and 26.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	WP
	T3S R3W
	NMMWA S23
	\$26
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. W. of a trail road, 15 lks. wide, bears SSE and NNW.
	From this cor. point, the cor., of secs. 22, 23, 26 and 27, hereinbefore described, bears N. 89°56′ W., 33.45 chs. dist.
	In Sec. 23
	Continue on line 72-73.
13.17	Point for A.P. 73.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W
	135 85%
	AWMMA
	AP73 \S23
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. W. of a trail road, bears SSE and NW, in curve.
	N. 41°34' W., on line 73-74 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
2.32	Point for A.P. 74.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W S23
	AP74
	NMMVA 1994
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 120 lks. W. of a trail road, bears SSE and WNW, in curve.
	N. 71°01' W., on line 74-75 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a trail road.
3.70	Point for A.P. 75.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W NMMWA S23 AP75
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. W. of a trail road, bears ESE and NW, in curve.
	N. 37°26' W., on line 75-76 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
4.51	Point for A.P. 76.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S23 AP76
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. W. of a trail road, bears SE and NNW, in curve.
	N. 24°50' W., on line 76-77 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
3.36	Point for A.P. 77.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

	1		
CHAINS	T20 B2W		
	T3S R3W		
	NMMWA S23		
	ACT /		
	1994		
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 85 lks. W. of a trail road, bears SSE and NNW.		
	N. 9°58' W., on line 77-78 of the North Maricopa Mountains Wilderness Area Bdy.		
	W. of a trail road.		
2.33	Point for A.P. 78.		
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.		
	T3S R3W		
	AP78 S23 NMMWA		
	1994		
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 80 lks. W. of a trail road, bears SSE and W., in curve.		
	N. 83°45' W., on line 78-79 of the North Maricopa Mountains Wilderness Area Bdy.		
	S. of a trail load.		
3.09	Point for A.P. 79.		
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.		

BOOK 54 81

CHAINS	
	T3S R3W S23
	AP79 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. S. of a trail road, bears E. and WSW, in curve.
	S. 69°09' W., on line 79-80 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
3.14	Point for A.P. 80.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W S23
	AP80 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. S. of a trail road, bears ENE and WSW, in curve.
	S. 63°32' W., on line 80-81 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
5.91	Point for A.P. 81.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W S23
	AP81 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 70 lks. S. of a trail road, bears ESE and WSW, in curve.
	N. 73°29' W., on line 81-82 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
2.34	Point for A.P. 82.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W S23
	AP82 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a trail road, bears ESE and NW, in curve.
The state of the s	N. 54°25' W., on line 82-83 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
4.47	Point for A.P. 83.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS T3S R3W \$23 AP83 **NMMWA** 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 75 lks. S. of a trail road, bears ESE and NW, in curve. N. 58°17' W., on line 83-84 of the North Maricopa Mountains Wilderness Area Bdy. SSW of a trail road. 3.91 Point for A.P. 84. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. T3S R3W S23 AP84 NMMWA 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 95 lks. W. of a trail road, bears SE and NW. N. 41°52' W., on line 84-85 of the North Maricopa Mountains Wilderness Area Bdy. SW of a trail road. 2.57 Point for a witness point at intersection with the line bet. secs. 22 and 23. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

PN NK 585481

CHAINS	
	WP
	T3S R3W S22 S23
	MMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. W. of a trail road, 15 lks. wide, bears ESE and NW, in curve.
	From this cor. point, the cor. of secs. 22, 23, 26, and 27, hereinbefore described, bears S. 0°08' W., 18.88 chs. dist.
	In Sec. 22
	Continue on line 84-85.
3.24	Point for A.P. 85.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W
	\$22
	AP85
	NMMWA ` 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. S. of a trail road, bears ESE and WSW.
	S. 60°56' W., on line 85-86 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
5.48	Point for A.P. 86.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
1	

CHAINS	
	T3S R3W S22
	322
	AP86
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. S. of a trail road, bears NE and WSW, in curve.
	S. 68°02' W., on line 86-87 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
4.04	Point for A.P. 87.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W
	S22_
	4793
	AP87 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. S. of a trail road, bears ENE and W., in curve.
	S. 82°44' W., on line 87-88 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
4.26	Point for A.P. 88.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W
	S22
	AP88 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. S. of a trail road, bears E. and WNW, in curve.
	N. 68°38' W., on line 88-89 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a trail road.
5.49	Point for A.P. 89.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W S22
	AP89 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. S. of a trail road, bears NE and SW.
	S. 46°10' W., on line 89-90 of the North Maricopa Mountains Wilderness Area Bdy.
ŀ	SE of a trail road.
4.16	Point for A.P. 90.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS T3S R3W S22 AP90 **NMMWA** 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 75 lks. S. of a trail road, bears ENE and W., in curve. S. 87°34' W., on line 90-91 of the North Maricopa Mountains Wilderness Area Bdy. S. of a trail road. 7.42 Point for A.P. 91. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T3S R3W S22 AP91 **NMMWA** 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 70 lks. S. of a trail road, bears E. and WSW. S. 70°01' W., on line 91-92 of the North Maricopa Mountains Wilderness Area Bdy. SSE of a trail road. 5.69 Point for A.P. 92. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

B00K₆₂5481

CHAINS	
	T3S_R3W
	\$22
	AP92
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a trail road, bears ESE and WNW.
	S. 69°38' W., on line 92-93 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
5.08	Point for A.P. 93.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3₩ S22
	AP93 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a trail road, bears E. and WNW.
	S. 7°06' W., on line 93-94 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a barbed wire fence.
6.07	Point for A.P. 94.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W
	\$22 J _{AP94}
	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 5 lks. E. of a barbed wire fence, 4 strands, bears NNE and SSW, and 105 lks. S. of a wash, 135 lks. wide, 3 ft. deep, drains W.
	N. 86°25′ W., on line 94-95 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
5.65	Point for A.P. 95.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W S22
	AP95 NMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. S. of a wash, 110 lks. wide, 3 ft. deep, drains W.
	N. 86°06' W., on line 95-96 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
3.40	Point for A.P. 96.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
3.40	Point for A.P. 96. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,

CHAINS	
	T3S_R3W
	\$22
	AP96
	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 80 lks. S. of a wash, 125 lks. wide, 3 ft. deep, drains W.
	N. 73°51' W., on line 96-97 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a wash.
3.45	Point for A.P. 97.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W S22
	AP97 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. S. of a wash, 80 lks. wide, 3 ft. deep, drains W.
	N. 88°46' W., on line 97-98 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
6.47	Point for A.P. 98.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W S22
	AP98 NMMWA 1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. S. of a wash, 145 lks. wide, 4 ft. deep, drains WNW.
	N. 72°O3' W., on line 98-99 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a wash.
5.13	Point for A.P. 99.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W S22
and the second s	AP99 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. S. of a wash, 145 lks. wide, 4 ft. deep, drains WNW.
	N. 72°14′ W., on line 99-100 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a wash.
5.44	Point for A.P. 100.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

POOK 54.81

CHAINS	
	T3S R3W
	\$22 ———————————————————————————————————
	AP100 NMMWA 1994
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
Samuel Control of the	Cor. is located 65 lks. S. of a wash, 105 lks. wide, 3 ft. deep, drains WNW.
	S. 88°36' W., on line 100-101 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
3.29	Point for A.P. 101.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W S22
	AP101 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 175 lks. S. of a wash, 220 lks. wide, 2 ft. deep, drains WSW.
·	S. 76°49' W., on line 101-102 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a wash.
2.93	Point for A.P. 102.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

CHAINS	
CHAINS	
	T3S R3W S22
	AP102 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. S. of a wash, 100 lks. wide, 2 ft. deep, drains WSW.
	S. 58°47' W., on line 102-103 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a wash.
2.86	Point for A.P. 103.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W S22
	AP103 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. S. of a wash, 60 lks. wide, 2 ft. deep, drains SW.
	S. 44°49' W., on line 103-104 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a wash.
4.52	Point for A.P. 104, on the line bet. secs. 21 and 22.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

CHAINS T3S R3W S21 | S22 AP104 **NMMWA** 1994 Deposit a magnet in a 1 x 1 x 2 ins. White plastic case beneath the stainless steel post. Cor. is located 120 lks. S. of a wash, 145 lks. wide, 2 ft. deep, drains SW. From this cor. point, the cor. of secs. 21, 22, 27, and 28, hereinbefore described, bears S. 0°04' E., 3.19 chs. dist. In Sec. 21 S. 52°28' W., on line 104-105 of the North Maricopa Mountains Wilderness Area Bdy. SE of a wash. Point for A.P. 105, on the line bet. secs. 21 and 28. 5.22 Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R3W Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 120 lks. S. of a wash, 130 lks. wide, 1 ft. deep, drains SW. From this cor. point, the cor. of secs. 21, 22, 27, and 28, hereinbefore described, bears N. 89°56' E., 4.15 chs. dist.

S. 30°05′ W., on line 105-106 of the North Maricopa Mountains Wilderness Area Bdy. ESE of a wash. 3.75 Point for A.P. 106. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T3S R3W S28 AP106 NMMWA 1994	CHAINS	
Wilderness Area Bdy. ESE of a wash. 3.75 Point for A.P. 106. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T3S R3W S28 AP106 NMMWA		In Sec. 28
3.75 Point for A.P. 106. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T3S R3W S28 AP106 NMMWA		· · · · · · · · · · · · · · · · · · ·
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T3S R3W S28 AP106 NMMWA		ESE of a wash.
25 ins. in the ground, with brass cap mkd. T3S R3W S28 AP106 NMMWA	3.75	Point for A.P. 106.
S28 AP106 NMMWA		· · · · · · · · · · · · · · · · · · ·
1994		S28 AP106 NMMWA
		1994
Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		,
Cor. is located 150 lks. S. of a wash, 90 lks. wide, 3 ft. deep, drains WSW.		
S. 44°07' W., on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy.		i de la companya de
SW of a wash.		SW of a wash.
5.84 Point for A.P. 107.	5.84	Point for A.P. 107.
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.		
T3S R3W S28		,
AP107 NMMWA 1994		NMMWA
Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
Cor. is located 150 lks. S. of a wash, 185 lks. wide, 3 ft. deep, drains W.		Cor. is located 150 lks. S. of a wash, 185 lks. wide, 3 ft. deep, drains W.

CHAINS	
	S. 83°17' W., on line 107-108 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
3.67	Point for A.P. 108.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W S28
	AP108 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. S. of a wash, 140 lks. wide, 4 ft. deep, drains WSW.
	S. 78°24' W., on line 108-109 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a wash.
4.11	Point for A.P. 109.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, to bedrock, encircled with a collar of stone, with brass cap mkd.
	T3S R3W S2B
	AP109 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. S. of a wash, 125 lks. wide, 4 ft. deep, drains W.
	S. 83°10' W., on line 109-110 of the North Maricopa Mountains Wilderness Area Bdy.

POOK₇₁5481

CHAINS	
	S. of a wash.
5.68	Point for A.P. 110.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W S28
	AP110 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 125 lks. S. of a wash, 125 lks. wide, 3 ft. deep, drains W.
	S. 83°11' W., on line 110-111 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
4.11	Point for A.P. 111.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W S28
	AP111 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. S. of a wash, 145 lks. wide, 3 ft. deep, drains W.
	S. 80°17' W., on line 111-112 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
4.25	Point for A.P. 112.

BOOK₇₂5481

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S.. R. 3 W.. Gila and Salt River Meridian, Arizona

	T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W S28
	AP112 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 115 lks. S. of a wash, 140 lks. wide, 3 ft. deep drains W.
	S. 85°01' W., on line 112-113 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
10.17	Point for A.P. 113.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground, to bedrock, supported in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	T3S R3W S28
	AP113 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. S. of a wash, 190 lks. wide, 3 ft. deep drains W.
	S. 85°23' W., on line 113-114 of the North Maricopa Mountains Wilderness Area Bdy.

6.85

Point for A.P. 114.

S. of a wash.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W S28
	528
	AP114 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. S. of a wash, 70 lks. wide, 2 ft. deep, drains W.
	S. 89°07' W., on line 114-115 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
7.02	Point for A.P. 115.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W S28
	AP115 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. S. of a wash, 60 lks. wide, 2 ft. deep, drains WSW.
	S. 74°14' W., on line 115-116 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a wash.
5.06	Point for A.P. 116.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
CHAINS	T00 B014
	T3S R3W S28
	AP116 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. S. of a wash, 105 lks. wide, 2 ft. deep, drains WNW.
	S. 70°41' W., on line 116-117 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a wash.
6.65	Point for A.P. 117.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W S28
	AP117 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. S. of a wash, 45 lks. wide, 1 ft. deep, drains W.
	N. 66°15′ W., on line 117-118 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a wash.
3.02	Point for A.P. 118.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W S28
	AP118 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 115 lks. S. of a wash, 135 lks. wide, 1 ft. deep, drains W.
	N. 88°11' W., on line 118-119 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
2.98	Point for A.P. 119.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W S28
	AP119 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. S. of a wash, 135 lks. wide, 1 ft. deep, drains WNW.
	S. 81°57' W., on line 119-120 of the North Maricopa Mountains Wilderness Area Bdy.
	Leave south bank of wash.
7.61	Intersect the line bet. secs. 28 and 29, not monumented.
	From this point, the cor. of secs. 20, 21, 28, and 29, hereinbefore described, bears N. O°O1' E., 15.49 chs. dist.
	In Sec. 29

CHAINS	
	Continue on line 119-120.
24.32	Point for A.P. 120.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
And the state of t	T3S R3W S29
	\AP120 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. E. of a trail road, bears SSE and NNW.
	S. 27°02' E., on line 120-121 of the North Maricopa Mountains Wilderness Area Bdy.
	Thence enter Margies Cove, ENE of a trail road.
8.75	Point for A.P. 121.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP121 S29 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. E. of a trail road, bears SSE and NNW.
	N. 70°40' E., on line 121-122 of the North Maricopa Mountains Wilderness Area Bdy.
1.71	Point for A.P. 122.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

J	
CHAINS	
	T3S R3W
	NMWA
	AP122
	S29 \
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 270 lks. E. of a trail road, bears SSE and NNW.
	S. 24°56' E., on line 122-123 of the North Maricopa Mountains Wilderness Area Bdy.
5.63	Point for A.P. 123.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W
	\ NMMWA
	S29 \ AP123
	1004
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 285 lks. E. of a trail road, bears SSE and NNW.
	S. 63°22′ W., on line 123-124 of the North Maricopa Mountains Wilderness Area Bdy.
1.67	Point for A.P. 124.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W
	S29 \(AP124
	\NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
!	

CHAINS	
	Cor. is located 95 lks. E. of a trail road, bears SSE and NNW.
	S. 20°14' E., on line 124-125 of the North Maricopa Mountains Wilderness Area Bdy.
	ENE of a trail road.
4.93	Point for A.P. 125.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W
	S29 AP125
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
}	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. E. of a trail road, bears SSE and NNW.
	S. 11°21' E., on line 125-126 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
5.58	Point for A.P. 126.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S29 AP126
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. E. of a trail road, bears N. and S.
	S. 7°15' W., on line 126-127 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.

CHAINS	
4.86	Point for A.P. 127.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S29 AP127
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. E. of a trail road, bears N. and S.
	S. 6°20' E., on line 127-128 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
3.37	Point for A.P. 128.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S29 AP128
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. E. of a trail road, bears N. and S.
	S. 7°37' E., on line 128-129 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
8.29	Point for A.P. 129.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	ĺ

T3S R3W NMMWA S29 AP129

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 75 lks. E. of a trail road, bears N. and S.

S. 3°55' E., on line 129-130 of the North Maricopa Mountains Wilderness Area Bdy.

E. of a trail road.

4.94 | Point for A.P. 130.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R3W NMMWA S29 AP130

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 85 lks. E. of a trail road, bears N. and SSE, in curve.

S. 16°48' E., on line 130-131 of the North Maricopa Mountains Wilderness Area Bdy.

ENE of a trail road.

5.09 Point for A.P. 131.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R3W NMMWA 829 AP131

B00K₈₁5481

CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
,	Cor. is located 90 lks. E. of a trail road, bears N. and S.
	S. O°40' W., on line 131-132 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
13.01	Point for a witness point at intersection with the line bet. secs. 29 and 32.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	WP T3S R3W S29 NMMWA
	S32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. E. of a trail road, 15 lks. wide, bears SSE and N., in curve.
	From this cor. point, the cor. of secs. 28, 29, 32, and 33, hereinbefore described, bears E., 4.76 chs. dist.
	In Sec. 32
	Continue on line 131-132.
13.83	Point for A.P. 132.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S32 AP132
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

CHAINS	
	Cor. is located 120 lks. E. of a trail road, bears SSE and NNW.
	S. 24°13' E., on line 132-133 of the North Maricopa Mountains Wilderness Area Bdy.
	ENE of a trail road.
6.84	Point for A.P. 133.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S32 AP133
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 100 lks. E. of a trail road, bears S. and NW, in curve.
	S. 15°07' E., on line 133-134 of the North Maricopa Mountains Wilderness Area Bdy.
	ENE of a trail road.
4.18	Point for A.P. 134.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S32 AP134 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. E. of a trail road, bears S. and NNW, in curve.
	S. 7°35' E., on line 134-135 of the North Maricopa Mountains Wilderness Area Bdy.

,	1. 3 S., R. 3 W., Glia and Sait River Meridian, Arizona
CHAINS	
	E. of a trail road.
4.30	Point for A.P. 135.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S32 AP135
	1994
* A distance of the state of th	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. E. of a trail road, bears N. and S.
	S. O°25' W., on line 135-136 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
5.49	Point for A.P. 136.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S32 AP136
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. E. of a trail road, bears N. and S.
	N. 86°21' E., on line 136-137 of the North Maricopa Mountains Wilderness Area Bdy.
0.36	Intersect the line bet. secs. 32 and 33, not monumented.
	From this point, the cor. of secs. 28, 29, 32, and 33, hereinbefore described, bears N. O°O2' W., 20.83 chs. dist.

CHAINS	1
CRAINS	To Con 22
	In Sec. 33
	Continue on line 136-137.
3.81	Point for A.P. 137.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W
	NMMWA
	AP137
	1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 460 lks. E. of a trail road, bears N. and S.
	S. 9°34' W., on line 137-138 of the North Maricopa Mountains Wilderness Area Bdy.
8.97	Point for A.P. 138.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W
	S33 / AB130
	AP138
	NMMWA
	1994
,	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 270 lks. E. of a trail road, bears N. and S.
	S. 9°07' W., on line 138-139 of the North Maricopa Mountains Wilderness Area Bdy.
2.85	Point for A.P. 139.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	1

	T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona
CHAINS	
	T3S R3W
	S33 AP139
Ì	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. E. of a wash, 15 lks. wide, 1 ft. deep, drains SW.
	S. 51°23' W., on line 139-140 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
1.62	Point for A.P. 140.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W
	NMMWA AP140
	S33 \
	1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. E. of a trail road, bears N. and SSE, in curve.
	·
	S. 14°58' E., on line 140-141 of the North Maricopa Mountains Wilderness Area Bdy.
	ENE of a trail road.
6.70	Point for A.P. 141.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
I	i de la companya de

CHAINS T3S R3W NMMWA S33 \ AP141 1994 Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post. Cor. is located 70 lks. E. of a trail road, bears N. and S. S. 5°41' W., on line 141-142 of the North Maricopa Mountains Wilderness Area Bdy. E. of a trail road. 3.28 Point for A.P. 142. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd. T3S.R3W S33 | NMMWA AP142 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 85 lks. E. of a trail road, bears NNE and SW, in curve. S. 28°52' W., on line 142-143 of the North Maricopa Mountains Wilderness Area Bdy. ESE of a trail road. Point for a witness point at intersection with the line bet. 3.37 secs. 32 and 33. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

CHAINS ΜÞ T3S R3W S32 | S33 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 100 lks. E. of a trail road, 15 lks. wide, bears SSE and NNW. From this cor. point, the 1/4 sec. cor. of secs. 32 and 33, hereinbefore described, bears N. 0°03' E., 5.90 chs. dist. In Sec. 32 Continue on line 142-143. Point for A.P. 143. 4.60 Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T3S R3W /NMMWA S32 /AP143 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 90 lks. E. of a trail road, bears NNE and S., in curve. S. 78°53' E., on line 143-144 of the North Maricopa Mountains Wilderness Area Bdy. Point for a witness point at intersection with the line bet. 0.60 secs. 32 and 33. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

CHAINS	
	WP
	T3S R3W
	NMMWA
	S32 S33
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 145 lks. E. of a trail road, bears NNE and S., in curve.
	From this cor. point, the 1/4 sec. cor. of secs. 32 and 33, hereinbefore described, bears N. O°O3' E., 7.09 chs. dist.
	In Sec. 33
	Continue on line 143-144.
1.35	Point for A.P. 144.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA S33 AP144
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 145 lks. E. of a trail road, bears NNE and S., in curve.
	S. 5°24' W., on line 144-145 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
7.89	Point for A.P. 145, on the line bet. secs. 32 and 33.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.

CHAINS T3S R3W S32 | S33 AP145 **NMMWA** 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 220 lks. E. of a trail road, bears N. and S.. In Sec. 32 N. 79°36' W., on line 145-146 of the North Maricopa Mountains Wilderness Area Bdy. 1.53 Point for A.P. 146. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T3S R3W S32 t AP146 NMMWA 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 70 lks. E. of a trail road, bears N. and S. S. 5°05' E., on line 146-147 of the North Maricopa Mountains Wilderness Area Bdy. E. of a trail road. 8.94 Point for A.P. 147. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS T3S R3W **NMMWA** S32 AP147 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 80 lks. E. of a trail road, bears ESE and NW. S. 64°03' E., on line 147-148 of the North Maricopa Mountains Wilderness Area Bdy. NNE of a trail road. 0.78 Point for a witness point at intersection with the line bet. secs. 32 and 33. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd. WΡ T3S R3W **NMMWA** Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post. Cor. is located 80 lks. N. of a trail road, bears E. and S. From this cor. point, the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., hereinbefore described, bears S. 0°03' W.,

In Sec. 33

Continue on line 147-148.

2.70 Point for A.P. 148.

16.00 chs. dist.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 17 ins. in the ground, to bedrock, supported in a mound of stone, 3 ft. base, to top, with brass cap mkd.

CHAINS

T3S R3W NMMWA S33 AP148

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.


Cor. is located 120 lks. N. of a trail road, bears WNW and SSW, in curve.

S. 33°34' E., on line 148-149 of the North Maricopa Mountains Wilderness Area Bdy.

ENE of a trail road.

1.75 | Point for A.P. 149.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 115 lks. E. of a trail road, bears NNW and SSW, in curve.

S. 18°09' W., on line 149-150 of the North Maricopa Mountains Wilderness Area Bdy.

ESE of a trail road.

1.78 | Point for A.P. 150.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

	Tr. 3 dr., At 12 dr., at 14 drie Civer Her faran, Al 12014
CHAINS	
į	T3S R3W
	/NMMWA
İ	S33 /AP150
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. E. of a trail road, bears N. and W., in curve, and 65 lks. N. of a barbed wire fence, 4 strands, bears E. and W.
	S. 75°47' W., on line 150-151 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
1.81	Point for A.P. 151.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W
	S33
	AP151
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. S. of a trail road, bears E. and WNW, in curve.
	N. 78°45' W., on line 151-152 of the North Maricopa Mountains Wilderness Area Bdy.
<u>.</u>	S. of a trail road.
0.40	Point for a witness point at intersection with the line bet. secs. 32 and 33.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
1	<u></u>

93

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS

WP T3S R3W NMMWA S32 S33

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 5 lks. S. of a shallow drain, course E.; 65 lks. N. of a barbed wire fence, 4 strands, bears ENE and WSW; and 75 lks. S. of a trail road, bears E. and WNW, in curve.

From this cor. point, the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., hereinbefore described, bears S. 0°03′ W., 11.63 chs. dist.

In Sec. 32

Continue on line 151-152.

3.99

Point for A.P. 152.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R3W S32 AP152 NMMWA 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.

Cor. is located 95 lks. S. of a trail road, bears SE and WNW, in curve.

N. 59°25' W., on line 152-153 of the North Maricopa Mountains Wilderness Area Bdy.

SW of a trail road.

2.30

Point for A.P. 153.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W
	\$32
	AP153 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 110 lks. N. of a trail road, bears SE and NW.
	N. 54°25' W., on line 153-154 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
4.15	Point for A.P. 154.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, with brass cap mkd.
	T3S R3W S32
	AP154 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
and the state of t	Cor. is located 45 lks. S. of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend N. and W.
	N. 82°37' W., on line 154-155 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a barbed wire fence.
3.50	Point for A.P. 155.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

	1. 3 3., K. 3 W., Gila and Sait River Meridian, Arizona
CHAINS	
	T3S R3W NMMWA S32
	AP155 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. SW of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend N. and E.
	N. 4°43' E., on line 155-156 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a barbed wire fence.
3.92	Point for A.P. 156.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP156 S32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. NW of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend E. and S.
	S. 82°46' E., on line 156-157 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of a barbed wire fence.
3.92	Point for A.P. 157.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	·

CHAINS	
CHAINS	T20 B2M
	T3S R3W NMMWA
	1AP157
	S32
į	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 65 lks. NE of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend S. and W.
	S. 4°10' W., on line 157-158 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a barbed wire fence.
2.44	Point for A.P. 158.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W
	NMMWA
	S32 AP158
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. E. of a barbed wire fence surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extending N. and S.
	S. 58°49' E., on line 158-159 of the North Maricopa Mountains Wilderness Area Bdy.
	NNE of a trail road.
4.14	Point for A.P. 159.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
1	:

CHAINS	
	T3S R3W NMMWA AP159
	S32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 140 lks. N. of a trail road, bears SSE and NW, in curve.
	S. 70°34' E., on line 159-160 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of a trail road.
5.04	Intersect the line bet. secs. 32 and 33, not monumented
	From this point, the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., hereinbefore described, bears S. 0°03' W., 13.53 chs. dist.
	In Sec. 33
	Continue on line 159-160.
5.99	Point for A.P. 160.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP160 S33
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located inside the sharp bend of a trail road, bears WNW and NW, in curve.
	N. 51°25' W., on line 160-161 of the North Maricopa Mountains Wilderness Area Bdy.

CHAINS	
	SE of a trail road.
1.14	Point for a witness point at intersection with the line bet. secs. 32 and 33.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	WP T3S R3W S32 S33
	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 65 lks. S. of a trail road, bears SE and WNW, in curve, and 27 lks. N. of a wash, 20 lks. wide, 2 ft. deep, drains WNW.
	From this cor. point, the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., hereinbefore described, bears S. 0°03' W., 13.93 chs. dist.
	In Sec. 32
,	Continue on line 160-161.
3.93	Point for A.P. 161.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W
And the state of t	NMMWA AP161 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. W. of a trail road, bears SE and N., in curve.
	N. 13°26' W., on line 161-162 of the North Maricopa Mountains Wilderness Area Bdy.

CHAINS	
CHAINS	
	WSW of a trail road.
1.55	Point for A.P. 162.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP162 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears N. and SSE, in curve.
	N. 3°59' W., on line 162-163 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
8.38	Point for A.P. 163.
4	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W
	\$32
	AP163 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. W. of a trail road, bears N. and S.
	N. 79°36' W., on line 163-164 of the North Maricopa Mountains Wilderness Area Bdy.
3.15	Point for A.P. 164.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T3S R3W NMMWA

AP164 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 380 lks. W. of a trail road, bears N. and S.

N. 22°07' E., on line 164-165 of the North Maricopa Mountains Wilderness Area Bdy.

6.24 Point for A.P. 165.

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T3S R3W NMMWA AP165 S32 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 235 lks. W. of a trail road, bears NNE and S., in curve.

N. 47°33' E., on line 165-166 of the North Maricopa Mountains Wilderness Area Bdy.

NW of a trail road.

2.47 Point for A.P. 166.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R3W NMMWA AP166 S32

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

	T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Cor. is located 75 lks. W. of a trail road, bears NNE and S., in curve and 60 lks. NE of the terminus of a barbed wire fence, 4 strand, extends SSW.
	N. 26°55' E., on line 166-167 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
4.60	Point for a witness point at intersection with the line bet. secs. 32 and 33.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	TAS RAW NMMWA
	S32 S33 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 95 lks. W. of a trail road, bears NNE and SW, in curve.
	From this cor. point, the 1/4 sec. cor. of secs. 32 and 33, hereinbefore described, bears N. 0°03' E., 2.41 chs. dist.
	In Sec. 33
	Continue on line 166-167.
6.06	Point for A.P. 167.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP167 S33 1994
	Deposit a magnet in a 1 x 1 x 2 ins. White plastic case beneath

the stainless steel post.

CHAINS	
	Cor. is located 70 lks. W. of a trail road, bears N. and S.
	N. 12°37' W., on line 167-168 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
3.03	Point for a witness point at intersection with the line bet. secs. 32 and 33.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W S32 S33
	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. W. of a trail road, bears N. and S.
	From this cor. point, the 1/4 sec. cor. of secs. 32 and 33, hereinbefore described, bears S. O°O2' E., 1.85 chs. dist.
	In Sec. 32
	Continue on line 167-168.
5.60	Point for A.P. 168.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP168 S32
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears SSE and NNW.

	1. 5 5.; It. 5 W.; atta and bate itteel met laten, 70 1200a
CHAINS	
	N. 13°01' W., on line 168-169 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
4.38	Point for A.P. 169.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
·	T3S R3W NMMWA AP169 S32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. W. of a trail road, bears N. and S.
	N. 1°53' W., on line 169-170 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
1.71	Point for A.P. 170.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W
	AP170 S32
	NMMWA
	1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. W. of a trail road, bears N. and S.
	S. 85°18' W., on line 170-171 of the North Maricopa Mountains Wilderness Area Bdy.
1.47	Point for A.P. 171.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
1	

CHAINS	
	T3S R3W NMMWA AP171 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 220 lks. W. of a trail road, bears N. and S.
	N. 2°32' W., on line 171-172 of the North Maricopa Mountains Wilderness Area Bdy.
8.83	Point for A.P. 172.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP172 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 225 lks. W. of a trail road, bears N. and S.
	N. 86°21' E., on line 172-173 of the North Maricopa Mountains Wilderness Area Bdy.
1.53	Point for A.P. 173.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
and the same of th	T3S R3W NMMWA AP173 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears N. and S.

CHAINS	
	N. 2°16' W., on line 173-174 of the North Maricopa Mountains Wilderness Area Bdy.
·	W. of a trail road.
8.95	Point for A.P. 174.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP174 \S32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. W. of a trail road, bears NNW and S., in curve.
	N. 15°18' W., on line 174-175 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
5.01	Point for A.P. 175.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3Ş R3W
	AP175 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. W. of a trail road, bears NW and S., in curve.
	N. 24°16′ W., on line 175-176 of the North Maricopa Mountains Wilderness Area Bdy.
1	

	1. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona
CHAINS	
	WSW of a trail road.
7.56	Point for A.P. 176.
	Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in place, in a drill hole, in a granite boulder, 12 X 5 X 3 ft. high, with top mkd.
	T3S R3W
	NMMWA AP176 S32
	1994
	Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole beneath the brass tablet.
	Cor. is located 95 lks. W. of a trail road, bears N. and SSE, in curve.
	N. 2°18' E., on line 176-177 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
0.28	Intersection the line bet. secs. 29 and 32, not monumented
	From this point, the 1/4 sec. cor. of secs. 29 and 32, hereinbefore described, bears West, 33.46 chs. dist.
	In Sec. 29
	Continue on line 176-177.
13.98	Point for A.P. 177.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W
	NMMWA
	AP177 S29 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
1	

CHAINS

Cor. is located 75 lks. W. of a trail road, bears NNW and S., in curve.

N. 23°08' W., on line 177-178 of the North Maricopa Mountains Wilderness Area Bdy.

WSW of a trail road.

3.57 Point for A.P. 178.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R3W



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 75 lks. W. of a trail road, bears NNW and S., in curve.

N. 3°49' W., on line 178-179 of the North Maricopa Mountains Wilderness Area Bdy.

W. of a trail road.

5.33 | Point for A.P. 179.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R3W IMWA NP179 S29

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

CHAINS	
CIANS	Cor. is located 75 lks. W. of a trail road, bears S. and NW, in curve.
	N. 17°00' W., on line 179-180 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
3.90	Point for A.P. 180.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W
	NMMWA AP180 \ S29
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. W. of a trail road, bears N. and SSE, in curve.
	N. 1°17' W., on line 180-181 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
5.18	Point for A.P. 181.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W
	NMMWA \
į	AP181 S29
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. W. of a trail road, bears N. and S.

,	
CHAINS	
	N. 4°00' W., on line 181-182 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
3.67	Point for A.P. 182.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W
	NMMWA AP182 S29
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. W. of a trail road, bears N. and S.
	N. 5°12' E., on line 182-183 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
4.76	Point for A.P. 183.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S _\ R3W
	NMMWA AP183 S29
	1 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. W. of a trail road, bears N. and S.
	N. 16°09' W., on line 183-184 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.

CHAINS	
9.31	Point for A.P. 184.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W S29 AP184 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. W. of a trail road, bears SSE and NNW.
	S. 63°22' W., on line 184-185 of the North Maricopa Mountains Wilderness Area Bdy.
1.63	Point for A.P. 185.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA \S29 AP185
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 255 lks. W. of a trail road, bears SSE and NNW.
	N. 24°57′ W., on line 185-186 of the North Maricopa Mountains Wilderness Area Bdy.
6.27	Point for A.P. 186.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP186 S29
	1994

CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 275 lks. W. of a trail road, bears SSE and NNW.
	N. 70°40' E., on line 186-187 of the North Maricopa Mountains Wilderness Area Bdy.
1.65	Point for A.P. 187.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.
	T3S R3W NMMWA AP187 S29
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. W. of a trail road, bears SSE and NNW.
	N. 26°29' W., on line 187-188 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
9.05	Point for A.P. 188.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W
	AP188 \S29
	NMMWA
	1994`
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. W. of a trail road, bears SSE and NNW.
	S. 81°57′ W., on line 188-189 of the North Maricopa Mountains Wilderness Area Bdy.

BOOK 5481

CHAINS	
Chamo	Leave Margies Cove.
	Leave Mai gres cove.
8.98	Point for A.P. 189.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., on bedrock, and supported in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	T3S R3W S29
	AP189 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. S. of a wash, 55 lks. wide, 2 ft. deep, drains WNW.
	N. 70°13' W., on line 189-190 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a wash.
3.90	Point for A.P. 190.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, encircled with a collar of stone, with brass cap mkd.
	T3S R3W S29
	AP190 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 40 lks. S. of a wash, 30 lks. wide, 3 ft. deep, drains W.
	N. 83°50' W., on line 190-191 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.

	1. 5 5.; R. 5 d.; d. and Sale River Met laten, Al 120118
CHAINS	
3.11	Point for A.P. 191.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, encircled with a collar of stone, with brass cap mkd.
	T3S R3W S29
	AP191 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. S. of a wash, 35 lks. wide, 4 ft. deep, drains WNW.
	N. 61°58' W., on line 191-192 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a wash.
2.68	Point for A.P. 192.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, encircled with a collar of stone, with brass cap mkd.
	T3S R3W S29
	AP192 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. S. of a wash, 35 lks. wide, 4 ft. deep, drains WNW.
	N. 73°21' W., on line 192-193 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a wash.

CHAINS	
5.42	Point for A.P. 193.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 11 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base., to top, with brass cap mkd.
	T3S R3W S29
	AP193 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. S. of a wash, 35 lks. wide, 2 ft. deep, drains WNW.
	N. 74°35' W., on line 193-194 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a wash.
3.42	Point for A.P. 194.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W S29
	AP194
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 50 lks. S. of a wash, 65 lks. wide, 2 ft. deep, drains W.
	N. 89°57' W., on line 194-195 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
6.71	Point for A.P. 195.

CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R3W S29
	AP195 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. S. of a wash, 100 lks. wide, 1 ft. deep, drains W.
	N. 82°21' W., on line 195-196 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
3.30	Point for A.P. 196.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W S29
	AP196 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a wash, 100 lks. wide, 2 ft. deep, drains W.
	S. 69°36' W., on line 196-197 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a wash.
6.36	Point for A.P. 197.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.

CHAINS	
	T3S R3W S29
	AP197 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 60 lks. S. of a wash, 70 lks. wide, 3 ft. deep, drains W.
	S. 77°15' W., on line 197-198 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a wash.
3.01	Point for A.P. 198.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W S29
	AP198 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. S. of a wash, 70 lks. wide, 2 ft. deep, drains W.
	S. 87°40' W., on line 198-199 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
4.30	Point for A.P. 199.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W S29
	AP199 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. S. of a wash, 70 lks. wide, 3 ft. deep, drains W.
	N. 79°45' W., on line 199-200 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
4.67	Point for A.P. 200.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, to bedrock, supported in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	T3S R3W S29
	AP200 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. S. of a wash, 100 lks. wide, 2 ft. deep, drains WNW.
	S. 89°24' W., on line 200-201 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a wash.
5.21	Point for A.P. 201.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3₩ S29
	AP201 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 135 lks. S. of a wash, 105 lks. wide, 1 ft. deep, drains WNW.
	N. 61°50' W., on line 201-202 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a wash.
2.89	Intersect the line bet. secs. 29 and 30, not monumented.
	From this point, the cor. of secs. 19, 20, 29, and 30, hereinbefore described, bears N. O°O1' W., 14.44 chs. dist.
	In Sec. 30
	Continue on line 201-202.
3.92	Point for A.P. 202.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	T3S R3W S3O
	AP202 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. S. of a wash, 60 lks. wide, 2 ft. deep, drains W.
	N. 79°55' W., on line 202-203 of the North Maricopa Mountains Wilderness Area Bdy.

ş 	1. 3 5., K. 3 W., Gila and Sait River Meridian, Arizona
CHAINS	
	S. of a wash.
4.01	Point for A.P. 203.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.
	T3S R3W S3O
	AP203 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 50 lks. S. of a trail road, bears WNW and ESE, and 200 lks. W. of a wash, 40 lks. wide, 2 ft. deep, drains WNW.
To the state of	S. 65°29' W., on line 203-204 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
4.74	Point for A.P. 204.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W S3O
	AP204 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. S. of a trail road, bears ENE and WSW.
	S. 80°23' W., on line 204-205 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
5.11	Point for A.P. 205.

120

CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W S3O
	AP205 NMMWA 1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 40 lks. S. of a trail road, bears ENE and W., in curve.
	S. 87°22' W., on line 205-206 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
6.61	Point for A.P. 206.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R3W S3O
	AP206 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 40 lks. S. of a trail road, bears E. and W., and 55 lks. N. of a wash, 45 lks. wide, 2 ft. deep, drains WSW.
	N. 81°34' W., on line 206-207 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
6.83	Point for A.P. 207.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W S3O
	AP207
	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. S. of a trail road, bears E. and W.
	N. 85°17' W., on line 207-208 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
3.40	Point for A.P. 208.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W S3O
	AP208 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. S. of a trail road, bears E. and W.
	N. 77°17' W., on line 208-209 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
5.99	Point for A.P. 209.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W S30
	AP209 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 40 lks. S. of a trail road, bears E. and WSW, in curve.
	S. 78°13' W., on line 209-210 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
3.07	Point for A.P. 210.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R3W S3O
	AP210 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. S. of a trail road, bears ENE and WSW.
	S. 63°21' W., on line 210-211 of the North Maricopa Mountains Wilderness Area Bdy.
-	SSE of a trail road.
13.49	Point for A.P. 211.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T3S R3W S3O
	AP211 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 50 lks. S. of a trail road, bears ENE and WSW.
	S. 65°09' W., on line 211-212 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
4.42	Point for A.P. 212.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R3W S3O
	AP212 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. S. of a trail road, bears ENE and WSW.
	S. 63°12' W., on line 212-213 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
14.79	Point for A.P. 213.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS

T3S R3W S30 AP213 NMMWA 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. S. of a trail road, bears ENE and WSW.

S. 75°43' W., on line 213-214 of the North Maricopa Mountains Wilderness Area Bdy.

SSE of a trail road.

6.41

A.P. 214, identical with A.P. 1, T. 3 S., R. 4 W., on line bet. secs. 25 and 30, on the W. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. T3S R4W R3W S25 S30 AP1 AP214 NMMWA 1994 as described in the field note record of the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Bdy., T. 3 S., R. 4 W., executed concurrently under this same group.

From this cor. point, the cor. of secs. 24 and 25 only, monumented with an iron post, 2 ins. diam, firmly set, projecting 20 ins. above ground, in a mound of stone, 5 ft. base, to top, with brass cap mkd. T3S R4W R3W S24 S25 S30 1994 1930 as described in the field note record of the dependent resurvey of a portion of the east boundary of T. 3 S., R. 4 W., executed concurrently under this same group, bears N. 0°15′ W., 27.70 chs. dist.

GENERAL DESCRIPTION

The land encompassed in this survey is located approximately 40 miles southwest of Phoenix, Arizona and 18 miles north-northeast of Gila Bend, Arizona. The general elevation varies from 1300 to 2500 feet above sea level. The land is rugged and broken with volcanic mountains, ridges and low hills. The vegetation consists of paloverde, ironwood, cactus, creosote, and sparse native grasses.

Primary access is by way of United States Highway 66. Secondary access is by way of various unimproved trail roads.

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS Description of the North Maricopa Mountains Wilderness Area, T. 3 S., R. 3 W., Gila and Salt River Meridian, Az. The following is for informational purposes only. Beginning at the cor. of secs. 1, 6, 7, and 12, on the E. bdy. of the Tp; thence N. 89°47' W., 40.00 chs. dist. to the 1/4 sec. cor. of secs. 1 and 12; thence N. 89°54' W.. 39.95 chs. dist. to the cor. of secs. 1, 2, 11, and 12; thence S. 89°39' W., 40.02 chs. dist. to the 1/4 sec. cor. of secs. 2 and 11; thence N. 89°17' W., 40.00 chs. dist. to the cor. of secs. 2, 3, 10, and 11; thence S. 89°53' W., 10.32 chs. dist. to Angle Point 1, on the line bet. secs. 3 and 10; thence S. 7°10′ W., 31.52 chs. dist. to Angle Point 2; thence S. 35°27' W., 36.36 chs. dist. to Angle Point 3; thence S. 35°45' W., 4.03 chs. dist. to Angle Point 4; thence S. 40°54' E., 18.13 chs. dist. to Angle Point 5; thence S. 40°40' E., 7.73 chs. dist. to Angle Point 6; 6.49 chs. dist. to Angle Point 7; thence S. 9°03′ W., 1°14' E., 7.82 chs. dist. to Angle Point 8; thence S. thence S. 48°12' W., 5.51 chs. dist. to Angle Point 9; 7.21 chs. dist. to Angle Point 10; thence S. 5°48' W., thence S. 16°46' W., 6.18 chs. dist. to Angle Point 11; thence S. 17°26' W., 9.93 chs. dist. to Angle Point 12; thence S. 54°40' E., 3.43 chs. dist. to Angle Point 13; thence S. 27°12' E., 4.32 chs. dist. to Angle Point 14; thence S. 7°04' W., 30.16 chs. dist. to Angle Point 15, on the line bet. secs. 15 and 22; thence S. 7°06' W., 39.18 chs. dist. to Angle Point 16; thence S. 7°05' W., 30.17 chs. dist. to Angle Point 17; thence N. 66°51' E., 3.79 chs. dist. to Angle Point 18; 6.46 chs. dist. to Angle Point 19; thence N. 69°41' E., 6.83 chs. dist. to Angle Point 20; thence N. 87°46' E., thence N. 47°19' E., 4.04 chs. dist. to Angle Point 21; thence N. 73°37' E., 2.37 chs. dist. to Angle Point 22; thence S. 58°41' E., 4.60 chs. dist. to Angle Point 23; thence N. 82°49' E., 3.87 chs. dist. to Angle Point 24; thence N. 68°12' E., 3.90 chs. dist. to Angle Point 25; thence N. 54°12' E., 3.50 chs. dist. to Angle Point 26: thence N. 71°09' E., 2.99 chs. dist. to Angle Point 27, on the line bet. secs. 22 and 23; thence S. 41°33' E., 4.58 chs. dist. to Angle Point 28; 7.40 chs. dist. to Angle Point 29; thence S. 56°23' E., thence S. 71°29' E., 1.53 chs. dist. to Angle Point 30;

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

thence N	E00471								
thence N	E09471								
	. 39 47	Ε	4.67	chs.	dist.	to	Angle	Point	31;
thence N									
thence S	. 38°00′	F.	4.10	chs.	dist.	to	Anale	Point	36:
thence S	. 71°07′	F.,	3.52	chs.	dist.	to	Anale	Point	37:
thence S	. 13°32′	F.,	6.29	chs.	dist.	to	Anale	Point	44:
thence S	. 14°07′	Ε	4.72	chs	dist.	to	Anale	Point	46:
thence S	30°35'	F.,	4.21	chs	dist	to	Angle	Point	48:
thence S	. 49°31′	F	5.39	chs.	dist.	to	Angle	Point	51:
thence S	. 57°01′	Ε.	3.45	chs.	dist.	to	Anale	Point	52:
thence S	. 42°24'	F	4.83	chs.	dist.	to	Anale	Point	53:
thence N	. 89°37′	F	3.51	chs.	dist.	to	Anale	Point	54:
thence S	3°39′	F.	3.92	chs.	dist.	to	Anale	Point	55:
thence N	49°13'	1.7	5.83	chs.	dist.	to	Angle	Point	61:
thence N	26°13′	W	4.74	chs.	dist.	to	Anale	Point	64:
thence N	. 58°27′	Ε	0.36	chs.	dist.	to	Angle	Point	65;
ì							_	_	
!		-							
,									
1									
		_							
thence S	. 69°09′	₩	3.14	chs.	dist.	to	Angle	Point	80;
1									
1 01101100 0		** * *	~.~+						— •
	thence S	thence S. 16°12′ thence S. 22°23′ thence S. 38°00′ thence S. 71°07′ thence S. 42°47′ thence S. 26°18′ thence S. 17°44′ thence S. 0°09′ thence S. 3°40′ thence S. 5°21′ thence S. 13°32′ thence S. 14°07′ thence S. 14°07′ thence S. 30°35′ thence S. 49°31′ thence S. 42°24′ thence S. 3°39′ thence S. 3°39′ thence N. 3°58′ thence N. 36°55′ thence N. 36°55′ thence N. 36°55′ thence N. 35°17′ thence N. 35°17′ thence N. 26°13′ thence N. 26°13′ thence N. 11°07′ thence N. 12°31′ thence N. 11°07′ thence N. 25°31′ thence N. 11°07′ thence N. 11°07′ thence N. 11°07′ thence N. 11°07′ thence N. 37°26′ thence N. 37°26′ thence N. 37°26′ thence N. 33°45′ thence N. 83°45′ thence S. 69°09′	thence S. 16°12′ E., thence S. 22°23′ E., thence S. 38°00′ E., thence S. 71°07′ E., thence S. 42°47′ E., thence S. 26°18′ E., thence S. 17°44′ E., thence S. 0°09′ W., thence S. 5°21′ E., thence S. 13°32′ E., thence S. 14°07′ E., thence S. 14°07′ E., thence S. 30°35′ E., thence S. 30°35′ E., thence S. 35°33′ E., thence S. 49°31′ E., thence S. 49°31′ E., thence S. 49°31′ E., thence S. 49°31′ E., thence S. 3°39′ E., thence S. 3°39′ E., thence S. 3°39′ E., thence S. 3°39′ E., thence N. 3°58′ W., thence N. 34°52′ W., thence N. 56°55′ W., thence N. 49°13′ W., thence N. 49°13′ W., thence N. 26°13′ W., thence N. 26°13′ W., thence N. 58°27′ E., thence N. 14°02′ W., thence N. 58°27′ E., thence N. 14°02′ W., thence N. 11°07′ E., thence N. 26°17′ W., thence N. 26°17′ W., thence N. 26°17′ W., thence N. 37°26′ W., thence N. 37°26′ W., thence N. 9°58′ W., thence N. 9°58′ W., thence N. 83°45′ W	thence S. 16°12′ E., 3.65 thence S. 22°23′ E., 1.96 thence S. 38°00′ E., 4.10 thence S. 71°07′ E., 3.52 thence S. 42°47′ E., 3.06 thence S. 26°18′ E., 13.27 thence S. 17°44′ E., 6.05 thence S. 0°09′ W., 4.50 thence S. 3°40′ W., 6.13 thence S. 5°21′ E., 9.58 thence S. 13°32′ E., 6.29 thence S. 7°45′ E., 6.08 thence S. 14°07′ E., 4.72 thence N. 62°30′ E., 0.79 thence S. 30°35′ E., 4.21 thence S. 35°33′ E., 3.68 thence S. 49°31′ E., 5.39 thence S. 57°01′ E., 3.45 thence S. 42°24′ E., 4.83 thence N. 89°37′ E., 3.51 thence S. 3°39′ E., 3.92 thence S. 89°03′ W., 3.88 thence N. 3°58′ W., 2.76 thence N. 53°47′ W., 3.89 thence N. 36°55′ W., 3.25 thence N. 49°13′ W., 5.83 thence N. 35°17′ W., 3.67 thence N. 49°13′ W., 5.83 thence N. 35°17′ W., 3.67 thence N. 56°55′ W., 3.25 thence N. 49°13′ W., 5.83 thence N. 56°51′ W., 2.95 thence N. 58°27′ E., 0.36 thence N. 14°02′ W., 6.59 thence N. 5°01′ W., 9.19 thence N. 5°01′ W., 9.19 thence N. 18°31′ W., 5.64 thence N. 18°31′ W., 3.70 thence N. 7°58′ W., 3.36 thence N. 7°58′ W., 3.36 thence N. 7°58′ W., 3.36 thence N. 18°31′ W., 5.64 thence N. 18°31′ W., 5.64 thence N. 26°17′ W., 13.17 thence N. 18°31′ W., 5.64 thence N. 26°17′ W., 13.17 thence N. 37°26′ W., 4.51 thence N. 9°58′ W., 2.33 thence N. 9°58′ W., 2.33 thence N. 9°58′ W., 3.36	thence S. 16°12′ E., 3.65 chs. thence S. 22°23′ E., 1.96 chs. thence S. 38°00′ E., 4.10 chs. thence S. 71°07′ E., 3.52 chs. thence S. 42°47′ E., 3.06 chs. thence S. 42°47′ E., 3.06 chs. thence S. 26°18′ E., 13.27 chs. thence S. 17°44′ E., 6.05 chs. thence S. 0°09′ W., 4.50 chs. thence S. 3°40′ W., 6.13 chs. thence S. 5°21′ E., 9.58 chs. thence S. 13°32′ E., 6.29 chs. thence S. 14°07′ E., 4.72 chs. thence S. 14°07′ E., 4.72 chs. thence S. 14°07′ E., 4.72 chs. thence S. 30°35′ E., 4.21 chs. thence S. 30°35′ E., 4.21 chs. thence S. 35°33′ E., 3.68 chs. thence S. 49°31′ E., 5.39 chs. thence S. 49°31′ E., 5.39 chs. thence S. 42°24′ E., 4.83 chs. thence S. 42°24′ E., 4.83 chs. thence S. 89°07′ E., 3.92 chs. thence S. 89°07′ W., 3.88 chs. thence N. 3°58′ W., 2.76 chs. thence N. 53°47′ W., 3.89 chs. thence N. 53°47′ W., 3.89 chs. thence N. 56°55′ W., 3.25 chs. thence N. 49°13′ W., 5.83 chs. thence N. 49°13′ W., 5.83 chs. thence N. 49°13′ W., 3.67 chs. thence N. 49°13′ W., 3.67 chs. thence N. 56°55′ W., 3.25 chs. thence N. 26°13′ W., 4.74 chs. thence N. 58°27′ E., 0.36 chs. thence N. 10°58′ W., 8.53 chs. thence N. 11°07′ E., 8.40 chs. thence N. 11°01′ W., 3.70 chs. thence N. 11°01′ W., 3.70 chs. thence N. 37°26′ W., 4.51 chs. thence N. 41°34′ W., 2.32 chs. thence N. 37°26′ W., 4.51 chs. thence N. 83°45′ W., 3.36 chs. thence N. 83°45′ W., 3.309 chs. thence S. 69°09′ W., 3.14 chs.	thence S. 16°12′ E., 3.65 chs. dist. thence S. 22°23′ E., 1.96 chs. dist. thence S. 38°00′ E., 4.10 chs. dist. thence S. 71°07′ E., 3.52 chs. dist. thence S. 42°47′ E., 3.06 chs. dist. thence S. 26°18′ E., 13.27 chs. dist. thence S. 26°18′ E., 13.27 chs. dist. thence S. 17°44′ E., 6.05 chs. dist. thence S. 0°09′ W., 4.50 chs. dist. thence S. 3°40′ W., 6.13 chs. dist. thence S. 3°40′ W., 6.13 chs. dist. thence S. 13°32′ E., 6.29 chs. dist. thence S. 14°07′ E., 4.72 chs. dist. thence S. 14°07′ E., 4.72 chs. dist. thence S. 30°35′ E., 4.21 chs. dist. thence S. 30°35′ E., 4.21 chs. dist. thence S. 35°33′ E., 3.68 chs. dist. thence S. 53°45′ W., 0.77 chs. dist. thence S. 55°01′ E., 3.45 chs. dist. thence S. 57°01′ E., 3.45 chs. dist. thence S. 42°24′ E., 4.83 chs. dist. thence S. 3°39′ E., 3.92 chs. dist. thence S. 3°39′ E., 3.92 chs. dist. thence N. 89°37′ E., 3.51 chs. dist. thence N. 3°58′ W., 2.76 chs. dist. thence N. 3°58′ W., 2.76 chs. dist. thence N. 56°55′ W., 3.25 chs. dist. thence N. 56°55′ W., 3.25 chs. dist. thence N. 49°13′ W., 5.83 chs. dist. thence N. 49°13′ W., 5.83 chs. dist. thence N. 56°55′ W., 3.25 chs. dist. thence N. 58°27′ E., 0.36 chs. dist. thence N. 18°31′ W., 2.95 chs. dist. thence N. 18°31′ W., 2.71 chs. dist. thence N. 18°31′ W., 3.70 chs. dist. thence N. 26°17′ W., 3.70 chs. dist. thence N. 26°17′ W., 3.70 chs. dist. thence N. 26°17′ W., 3.70 chs. dist. thence N. 37°26′ W., 4.51 chs. dist. thence N. 9°58′ W., 2.33 chs. dist. thence N. 83°45′ W., 3.09 chs. dist. thence N. 83°45′ W., 3.09 chs. dist. thence N. 83°45′	thence S. 16°12′ E., 3.65 chs. dist. to thence S. 22°23′ E., 1.96 chs. dist. to thence S. 38°00′ E., 4.10 chs. dist. to thence S. 71°07′ E., 3.52 chs. dist. to thence S. 42°47′ E., 3.06 chs. dist. to thence S. 26°18′ E., 13.27 chs. dist. to thence S. 17°44′ E., 6.05 chs. dist. to thence S. 17°44′ E., 6.05 chs. dist. to thence S. 3°40′ W., 6.13 chs. dist. to thence S. 5°21′ E., 9.58 chs. dist. to thence S. 13°32′ E., 6.29 chs. dist. to thence S. 14°07′ E., 4.72 chs. dist. to thence S. 14°07′ E., 4.72 chs. dist. to thence S. 30°35′ E., 4.21 chs. dist. to thence S. 30°35′ E., 4.21 chs. dist. to thence S. 35°33′ E., 3.68 chs. dist. to thence S. 35°33′ E., 3.68 chs. dist. to thence S. 35°31′ E., 339 chs. dist. to thence S. 57°01′ E., 3.45 chs. dist. to thence S. 3°39′ E., 3.51 chs. dist. to thence S. 89°03′ W., 3.88 chs. dist. to thence N. 89°37′ E., 3.51 chs. dist. to thence N. 3°58′ W., 2.76 chs. dist. to thence N. 53°47′ W., 3.89 chs. dist. to thence N. 53°47′ W., 3.89 chs. dist. to thence N. 53°47′ W., 3.89 chs. dist. to thence N. 56°55′ W., 3.25 chs. dist. to thence N. 49°13′ W., 5.83 chs. dist. to thence N. 49°13′ W., 5.83 chs. dist. to thence N. 26°13′ W., 4.74 chs. dist. to thence N. 58°27′ E., 0.36 chs. dist. to thence N. 14°02′ W., 6.59 chs. dist. to thence N. 58°27′ E., 0.36 chs. dist. to thence N. 14°02′ W., 6.59 chs. dist. to thence N. 14°02′ W., 6.59 chs. dist. to thence N. 18°31′ W., 2.95 chs. dist. to thence N. 18°31′ W., 2.95 chs. dist. to thence N. 18°31′ W., 2.95 chs. dist. to thence N. 18°31′ W., 5.64 chs. dist. to thence N. 26°17′ W., 13.17 chs. dist. to thence N.	thence S. 16°12′ E., 3.65 chs. dist. to Angle thence S. 22°23′ E., 1.96 chs. dist. to Angle thence S. 38°00′ E., 4.10 chs. dist. to Angle thence S. 71°07′ E., 3.52 chs. dist. to Angle thence S. 42°47′ E., 3.66 chs. dist. to Angle thence S. 26°18′ E., 13.27 chs. dist. to Angle thence S. 17°44′ E., 6.05 chs. dist. to Angle thence S. 17°44′ E., 6.05 chs. dist. to Angle thence S. 3°40′ W., 4.50 chs. dist. to Angle thence S. 3°40′ W., 6.13 chs. dist. to Angle thence S. 13°32′ E., 6.29 chs. dist. to Angle thence S. 14°07′ E., 6.08 chs. dist. to Angle thence S. 14°07′ E., 4.72 chs. dist. to Angle thence S. 30°35′ E., 4.21 chs. dist. to Angle thence S. 30°35′ E., 4.21 chs. dist. to Angle thence S. 30°35′ E., 4.21 chs. dist. to Angle thence S. 35°33′ E., 3.68 chs. dist. to Angle thence S. 55°45′ W., 0.77 chs. dist. to Angle thence S. 55°45′ W., 3.68 chs. dist. to Angle thence S. 42°24′ E., 4.83 chs. dist. to Angle thence S. 42°24′ E., 4.83 chs. dist. to Angle thence N. 89°37′ E., 3.51 chs. dist. to Angle thence N. 3°58′ W., 3.88 chs. dist. to Angle thence N. 53°47′ W., 3.89 chs. dist. to Angle thence N. 55°47′ W., 3.89 chs. dist. to Angle thence N. 55°57′ W., 3.55 chs. dist. to Angle thence N. 55°47′ W., 3.67 chs. dist. to Angle thence N. 55°47′ W., 3.69 chs. dist. to Angle thence N. 55°57′ W., 3.25 chs. dist. to Angle thence N. 55°47′ W., 3.67 chs. dist. to Angle thence N. 55°47′ W., 3.67 chs. dist. to Angle thence N. 55°47′ W., 3.67 chs. dist. to Angle thence N. 55°47′ W., 3.67 chs. dist. to Angle thence N. 55°47′ W., 3.67 chs. dist. to Angle thence N. 50°31′ W., 56°40 chs. dist. to Angle thence N. 26°13′ W., 56°50 chs. dist. to Angle thence N. 26°13′ W., 56°50 chs. dist. to Angle thence N. 26°13′ W., 56°50 chs. dist. to Angle thence N. 16°02′ W., 6.59 chs. dist. to Angle thence N. 16°02′ W., 6.59 chs. dist. to Angle thence N. 16°02′ W., 6.59 chs. dist. to Angle thence N. 16°02′ W., 6.59 chs. dist. to Angle thence N. 16°02′ W., 6.59 chs. dist. to Angle thence N. 16°02′ W., 6.59 chs. dist. to Angle thence N. 16°02′ W.,	thence N. 7°58′ W., 8.53 chs. dist. to Angle Point thence N. 14°02′ W., 6.59 chs. dist. to Angle Point thence N. 5°01′ W., 9.19 chs. dist. to Angle Point thence N. 25°31′ W., 2.71 chs. dist. to Angle Point thence N. 11°07′ E., 8.40 chs. dist. to Angle Point thence N. 18°31′ W., 5.64 chs. dist. to Angle Point thence N. 26°17′ W., 13.17 chs. dist. to Angle Point thence N. 41°34′ W., 2.32 chs. dist. to Angle Point thence N. 71°01′ W., 3.70 chs. dist. to Angle Point thence N. 37°26′ W., 4.51 chs. dist. to Angle Point thence N. 24°50′ W., 3.36 chs. dist. to Angle Point thence N. 9°58′ W., 2.33 chs. dist. to Angle Point thence N. 83°45′ W., 3.09 chs. dist. to Angle Point thence S. 69°09′ W., 3.14 chs. dist. to Angle Point

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

thence N. 73°29' W., 2.34 chs. dist. to Angle Point 82; thence N. 54°25' W., 4.47 chs. dist. to Angle Point 83;	
thence N. 73°29' W., 2.34 chs. dist. to Angle Point 82; thence N. 54°25' W., 4.47 chs. dist. to Angle Point 83;	
thence N. 54°25′ W., 4.47 chs. dist. to Angle Point 83;	- 1
	- 1
thence N. 58°17′ W., 3.91 chs. dist. to Angle Point 84;	
thence N. 41°52′ W., 3.24 chs. dist. to Angle Point 85;	ŀ
thence S. 60°56′ W., 5.48 chs. dist. to Angle Point 86;	
thence S. 68°02' W., 4.04 chs. dist. to Angle Point 87;	
thence S. 82°44′ W., 4.26 chs. dist. to Angle Point 88;	
thence N. 68°38' W., 5.49 chs. dist. to Angle Point 89;	ŀ
thence S. 46°10' W., 4.16 chs. dist. to Angle Point 90;	- 1
thence S. 87°34' W., 7.42 chs. dist. to Angle Point 91;	
thence S. 70°01' W., 5.69 chs. dist. to Angle Point 92;	İ
thence S. 69°38' W., 5.08 chs. dist. to Angle Point 93;	- {
thence S. 7°06' W., 6.07 chs. dist. to Angle Point 94;	
thence N. 86°25' W., 5.65 chs. dist. to Angle Point 95;	
thence N. 86°06' W., 3.40 chs. dist. to Angle Point 96;	
thence N. 73°51' W., 3.45 chs. dist. to Angle Point 97;	İ
thence N. 88°46' W., 6.47 chs. dist. to Angle Point 98;	
thence N. 72°03' W., 5.13 chs. dist. to Angle Point 99;	
thence N. 72°14' W., 5.44 chs. dist. to Angle Point 100;	ĺ
thence S. 88°36' W., 3.29 chs. dist. to Angle Point 101;	İ
thence S. 76°49' W., 2.93 chs. dist. to Angle Point 102;	
thence S. 58°47' W., 2.86 chs. dist. to Angle Point 103;	
thence S. 44°49' W., 4.52 chs. dist. to Angle Point 104, on t	he
line bet. secs. 21 and 22;	
thence S. 52°28' W., 5.22 chs. dist. to Angle Point 105, on t	he
line bet. secs. 21 and 28;	
thence S. 30°05' W., 3.75 chs. dist. to Angle Point 106;	
thence S. 44°07′ W., 5.84 chs. dist. to Angle Point 107;	
thence S. 83°17′ W., 3.67 chs. dist. to Angle Point 108;	İ
thence S. 78°24' W 4.11 chs. dist. to Angle Point 109;	
thence S. 83°10′ W., 5.68 chs. dist. to Angle Point 110;	
thence S. 83°10′ W., 5.68 chs. dist. to Angle Point 110; thence S. 83°11′ W., 4.11 chs. dist. to Angle Point 111; thence S. 80°17′ W., 4.25 chs. dist. to Angle Point 112;	ļ
thence S. 80°17′ W., 4.25 chs. dist. to Angle Point 112;	i
thence S. 85°01′ W., 10.17 chs. dist. to Angle Point 113;	
thence S. 85°23′ W., 6.85 chs. dist. to Angle Point 114;	
thence S. 89°07' W., 7.02 chs. dist. to Angle Point 115;	ŀ
thence S. 74°14′ W., 5.06 chs. dist. to Angle Point 116;	
thence S. 70°41′ W., 6.65 chs. dist. to Angle Point 117;	1
thence N. 66°15′ W., 3.02 chs. dist. to Angle Point 118;	
thence N. 88°11′ W., 2.98 chs. dist. to Angle Point 119;	ĺ
thence S. 81°57′ W., 24.32 chs. dist. to Angle Point 120;	
thence S. 27°02' E., 8.75 chs. dist. to Angle Point 121;	
thence N. 70°40' E., 1.71 chs. dist. to Angle Point 122;	-
thence S. 24°56' E., 5.63 chs. dist. to Angle Point 123;	
thence S. 63°22′ W., 1.67 chs. dist. to Angle Point 124;	ļ
thence S. 20°14' E., 4.93 chs. dist. to Angle Point 125;	1
thence S. 11°21' E., 5.58 chs. dist. to Angle Point 126;	
thence S. 7°15' W., 4.86 chs. dist. to Angle Point 127;	
thence S. 6°20' E., 3.37 chs. dist. to Angle Point 128;	
thence S. 7°37' E., 8.29 chs. dist. to Angle Point 129;	
thence S. 3°55' E., 4.94 chs. dist. to Angle Point 130;	

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS						,					
	thence '	S 16°48′	F	5.09 chs.	dist.	to	Anale	Point	131.		
				13.83 chs.							
				6.84 chs.							
	i		-	4.18 chs.			-				
				4.30 chs.							
	thence !	3. / 33 c	L.,	5.49 chs.	diet.	t0	Andle	Doint	136.		
	thence	N 96°21/	w.,	3.43 chs.	dist.	†0	Andle	Doint	137.		
	thomas	N. OU 21 C 002//	L., Uf	8.97 chs.	dict	to to	Angle	Doint	138.		
	thence	5. 9 34° 6 09071	W	2.85 chs.	dict.	+0	Andle	Doint	130,		
	thence	5. 9'0/'	W.,	1.62 chs.	dist.	±0	Angle	Doint	1/0.		
	thence	5. 14 58	L.,	6.70 chs.	UISC.	to to	Angle	Point	142;		
	thence	S. 5'41'	W . ,	3.28 chs.	aist.	10	Angle	Point	142;		
	thence	S. 28°52'	W.,	4.60 chs.	dist.	to	Angle	Point	143;		
				1.35 chs.							+ ba
				7.89 chs.		to	Ang re	POINL	145,	On	trie
				. 32 and 33		+-	A 2 4 7 4	Doint	1/6-		
				1.53 chs.							
	thence	S. 5°05'	t.,	8.94 chs.	Jaro	Į.	Ang le	POINT	14/;		
	thence	S. 64°03′	Ŀ.,	2.70 chs.	aist.	£O	Ang le	POINT	148;		
	thence :	S. 33°34′	Ε.,	1.75 chs.	dist.	TO.	Ang le	Point	149;		
				1.78 chs.							
				1.81 chs.							
				3.99 chs.							
				2.30 chs.							
				4.15 chs.							
	thence	N. 82°37′	W.,	3.50 chs.	dist.	to	Angle	Point	155;		
	thence	N. 4°43′	Ε.,	3.92 chs.	dist.	to	Angle	Point	156;		
				3.92 chs.							
				2.44 chs.							
	thence:	s. 58°49 <i>′</i>	Ε.,	4.14 chs.	dist.	to	Angle	Point	159;		
	thence :	s. 70°34′	Ε.,	5.99 chs.	dist.	to	Angle	Point	160;		
				3.93 chs.							
				1.55 chs.							
	thence	N. 3°59′	W.,	8.38 chs.	dist.	to	Angle	Point	163;		
	thence	N. 79°36′	W.,	3.15 chs.	dist.	to	Ang Te	Point	164;		
	1	N. 22°07′		6.24 chs.							
		N. 47°33′		2.47 chs.	dist.	to	Angle	Point	166;		
		N. 26°55′		6.06 chs.							
	i	N. 12°37′	_	5.60 chs.						•	
	1	N. 13°01′		4.38 chs.							
	1	N. 1°53′	_	1.71 chs.	dist.	to	Angle	Point	170;		
	!	s. 85°18′		1.47 chs.							
	1	N. 2°32′		8.83 chs.							
	1	N. 86°21′	-	1.53 chs.			_				
	ì	N. 2°16′		8.95 chs.							
	1	N. 15°18′		5.01 chs.							
	1	N. 24°16′	_	7.56 chs.							
		N. 2°18′		13.98 chs.							
	1	N. 23°08′		3.57 chs.							
	,	N. 3°49′	-	5.33 chs.							
				3.90 chs.							
			#		· -	-	-		•		
	<u>i</u>			·			-				

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

,	1. 3 3., N. 3 W., GITA AND SAIL RIVET METICIAN, ATTZONA
CHAINS	
	thence N. 1°17' W., 5.18 chs. dist. to Angle Point 181;
	thence N. 4°00' W., 3.67 chs. dist. to Angle Point 182;
	thence N. 5°12' E., 4.76 chs. dist. to Angle Point 183;
	thence N. 16°09' W., 9.31 chs. dist. to Angle Point 184;
	thence S. 63°22' W., 1.63 chs. dist. to Angle Point 185;
	thence N. 24°57' W., 6.27 chs. dist. to Angle Point 186;
i	thence N. 70°40' E., 1.65 chs. dist. to Angle Point 187;
	thence N. 26°29' W., 9.05 chs. dist. to Angle Point 188;
	thence S. 81°57' W., 8.98 chs. dist. to Angle Point 189;
	thence N 70°13' W 3 00 che dist to Angle Point 190.
	thence N. 83°50' W., 3.11 chs. dist. to Angle Point 191;
	thence N. 61°58' W., 2.68 chs. dist. to Angle Point 192;
	thence N. 73°21' W., 5.42 chs. dist. to Angle Point 193;
	thence N. 74°35′ W., 3.42 chs. dist. to Angle Point 194;
	thence N. 89°57' W., 6.71 chs. dist. to Angle Point 195;
	thence N. 83°50′ W., 3.11 chs. dist. to Angle Point 191; thence N. 61°58′ W., 2.68 chs. dist. to Angle Point 192; thence N. 73°21′ W., 5.42 chs. dist. to Angle Point 193; thence N. 74°35′ W., 3.42 chs. dist. to Angle Point 194; thence N. 89°57′ W., 6.71 chs. dist. to Angle Point 195; thence N. 82°21′ W., 3.30 chs. dist. to Angle Point 196; thence N. 80°35′ W., 6.76 chs. dist. to Angle Point 196;
	I thence 5. by 50° W., 0.50 Chs. uist. to Angle Point 197;
	thence S. 77°15′ W., 3.01 chs. dist. to Angle Point 198;
	thence S. 87°40' W., 4.30 chs. dist. to Angle Point 199;
	thence N. 79°45′ W., 4.67 chs. dist. to Angle Point 200;
	thence S. 89°24' W., 5.21 chs. dist. to Angle Point 201;
	thence N. 61°50' W., 3.92 chs. dist. to Angle Point 202;
	thence N. 79°55' W., 4.01 chs. dist. to Angle Point 203;
	thence S. 65°29' W., 4.74 chs. dist. to Angle Point 204;
	thence S. 80°23′ W., 5.11 chs. dist. to Angle Point 205;
	thence S. 87°22′ W., 6.61 chs. dist. to Angle Point 206;
	thence N. 81°34′ W., 6.83 chs. dist. to Angle Point 207;
	thence N. 85°17′ W., 3.40 chs. dist. to Angle Point 208;
	thence N. 77°17' W., 5.99 chs. dist. to Angle Point 209;
	thence S. 78°13′ W., 3.07 chs. dist. to Angle Point 210;
	thence S. 63°21' W., 13.49 chs. dist. to Angle Point 211;
	thence S. 65°09' W., 4.42 chs. dist. to Angle Point 212;
	thence S. 63°12' W., 14.79 chs. dist. to Angle Point 213;
	thence S. 75°43' W., 6.41 chs. dist. to Angle Point 214,
	identical with Angle Point 1, T. 3 S., R. 4 W., on the
	line bet. secs. 25 and 30, on the W. bdy. of the Tp.
ļ	

BOOK 5481

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY Student Trainee					
Daniel R. Muth						
Cheryl A. Baier	Surveying Technician					
Gordon R. Bubel	11	H				
Geoffrey A. Graham	11	п				
Jeff A. Hill	п	11				
Lawrence T. Kempe	11	tt.				
Wallace R. Ott Jr.	II.	Ħ				
Clinton T. Lancaster	IF.	17				

131

CERTIFICATE OF SURVEY

I, Olian T. Shockley, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 21st day of October, 1993, I have dependently resurveyed a portion of the subdivisional lines and conducted a metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 3 South, Range 3 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

January 06, 1997	Chain S. Shockley (Cadastral Surveyor)
(Date)	(Cadastral Subveyor)
	CERTIFICATE OF APPROVAL
	BUREAU OF LAND MANAGEMENT Arizona State Office Phoenix, Arizona
lines and the metes-and-bound Boundary. in Township 3 South	the dependent resurvey of a portion of the subdivisional ds survey of the North Maricopa Mountains Wilderness Area h, Range 3 West, Gila and Salt River Meridian, Arizona, y, Cadastral Surveyor, having been critically examined y approved.
2/25/97	Val Chiller
(Date)	(Acting Chief Cadastral Surveyor of Arizona)
	CERTIFICATE OF TRANSCRIPT
I CERTIFY that the foregoing surveys in T. 3 S., R. 3 W., the original field notes.	transcript of the field notes of the above-described -Gila and Salt River Meridian, Arizona, is a true copy of
(Date)	(Acting Chief Cadastral Surveyor of Arizona)

(Date)